1. Product and Company Identifaction

www.rxmarine.com

RXSOL-70-7002-025 Product Name

Product Type **DUAL PURPOSE CLEANER-II**

Company Details:

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Stock Point: Mumbai, Kandla, Kolkata, Vizag, Chennai, Gandhidham, Fujairah, Muscat

Phone +91 22 65113333 / 5555 / 9999 / 27611360 Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*
Naphtha(petroleum)	60-100	64742-82-1	265-185-4	65, 66
,hydrosulfurizedheavy				
Iron carboxylate	1-5	61788-81-6	N/A	65
Fuel, diesel	5-10	68334-30-5	269-822-7	40
N-Oleyl-1,3diaminopropane	0-1	7173-62-8	230-528-9	22 34 50
Amino ethyl piperazine	0.05	140-31-8	205-411-0	21/22, 34,43, 52/53

^{*}See Section 16

3. Hazards Identification

www.rxmarine.com



Harmful

Odour Smells of hydrocarbon

Liquid, dark, brown, insoluble in water Appearance

Contact with eyes Causes redness and irritation

Contact with skin Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis Inhalation In cases of severe exposure, anaesthesia may develop, May cause chronic pneumonitis, May cause coughing Ingestion Harmful: may cause lung damage if swallowed (R65).Limited evidence of carcinogenic effect (R40)

4. First Aid Measures

www.rxmarine.com

Contact with skin Remove contaminated clothing immediately and drench affected skin with plenty of water. Contaminated clothing sh before reuse. Seek medical attention if irritation persists

Contact with eyes If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes.Irrigate eyes thorou

eyelids. When in doubt or symptoms persist, seek medical attention

Ingestion Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate m

vomiting occurs turn patient on side. Obtain immediate medical attention

Inhalation Remove patient to fresh air. Seek medical attention if ill effects occur.

5. Fire-fighting Measures

www.rxmarine.com

- Auto-ignition point 250 deg C at 760 mm Hg
- Flash point >62 deg C (CC)
- Carbon oxides may be formed
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Do not use water jets
- Prevent run off water from entering drains if possible
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions Wear protective clothing as per section 8

Environmental Precautions Do not allow to enter public sewers and watercourses

Immediate Actions Contain spillage by any means possible

Clean Up Actions

Absorb spillage in inert material and shovel up. Ventilate the area and wash spill site after material pick-up is complete

Special Precautions Do not allow to enter public sewers and watercourses. Wear protective clothing as per section 8

7. Handling and Storage

www.rxmarine.com

Handling Avoid contact with skin and eyes (S24/25). Eyewash bottles should be available. Wear protective clothing as per section Storage Keep only in the original container in a cool, well ventilated place (S3/9/49). Keep container tightly closed (S7). Keep only in the original container in a cool, well ventilated place (S3/9/49). The container tightly closed (S7) are the container tightly closed (S7).

flames, hot surfaces and sources of ignition.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure Limits TLV (TWA) 275 mg/m3 (Naphtha, low boiling, hydrogen treated).

Exposure controls No special ventilation is required unless the product is used in a spray form.

Occupational exposure controls

No respiratory protection is required unless subject to contact with substance mist. During fumigation/spraying wear sequipment (S42). Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are r









Gloves

Suit

Goggles

No_Smoking

9. Physical and chemical properties

www.rxmarine.com

Odour Smells of hydrocarbon

Appearance Liquid, dark, brown, insoluble in water

pH not applicable

Boiling point 170 °C to 210 °C at 760 mm /Hg

Vapour pressure not known
Vapour density (air = 1) >1
Freezing point unknown

Insoluble in water

Specific gravity (water=1) 0.835

Flash point >62 deg C (CC)

Auto-ignition point 250 deg C at 760 mm Hg

Lower explosive limit 0.5 % (in air)

Upper explosive limit 7 % (in air)

10. Stability and reactivity

www.rxmarine.com

- This article is considered stable under normal conditions
- Keep away from naked flames, incandescent or hot surfaces
- See Section 5

11. Toxicological information

www.rxmarine.com

Toxicological information No experimental data available

Inhalation Inhalation of solvent vapours may give rise to nausea, headaches and dizziness.

Contact with skin Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, d

Aminoethylpiperazine. May produce an allergic reaction.

Contact with eyes Causes irritation

Ingestion Aspiration hazard.Harmful: may cause lung damage if swallowed (R65).

Carcinogenicity Limited evidence of carcinogenic effect (R40).

12. Ecological information

www.rxmarine.com

Ecotoxicity May cause acute effects in the aquatic environment. This product contains components which are classified in the EU

the environment.

Mobility Insoluble in water.

Persistence and Biodegradability

The components in this product are readily biodegradable.

Bioaccumulation Potential

Hydrocarbon solvents have the potential to bioaccumilate.

Other Adverse Effects No environmental problems are expected when the product is used / handled correctly. In its intended use, the product is used / handled correctly. In its intended use, the product is used / handled correctly. In its intended use, the product is used / handled correctly.

released into the environment.

13. Disposal considerations

www.rxmarine.com

Classification EU Waste class: 07.01. This material and/or its container must be disposed of as hazardous waste.

Disposal considerations Do not discharge into drains or the environment, dispose to an authorised waste collection point. Disposal should be in

local, state or national legislation

14. Transport information

www.rxmarine.com

- Not classified as hazardous for transport

15. Regulatory information

www.rxmarine.com

Classification and labelling Contains Aminoethylpiperazine. May produce an allergic reaction.

Risk Phrases Limited evidence of carcinogenic effect (R40).Harmful: may cause lung damage if swallowed (R65).Repeated ex

skin dryness or cracking (R66) Contains Dim ethyl pipe razine. May produce an allergic reaction.

Safety Phrases Wear suitable protective clothing, eye/face protection and gloves (S36/37/39). In case of accident or if you feel unvision to the same of accident or if you fe

advice immediately (show the label where possible) (S45). If swallowed, do not induce vomiting: seek medical advice

show this container or label (S62)

16. Other information

www.rxmarine.com

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R37: Irritating to respiratory system. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with

regard to the product's properties The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.