1. Product and Company Identifaction

www.rxmarine.com

Porduct Name

Hexane

Part Number

RXSOL-19-1566-210

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Weight Formula n-Hexane 110-54-3 203-777-6 86,18 g/mol C_6H_{14}

3. Hazards Identification

www.rxmarine.com

Signal Word

Hazard Statements

Precautionary statements

Classification of the substance or mixture Supplemental Hazard Statements Other hazards Danger

H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled. H411 Toxic to aquatic life with long lasting effects.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water. P331 Do NOT induce vomiting.

No data available No data available

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice
If inhaled

Show this material safety data sheet to the doctor in attendance.

After inhalation fresh air.

Eye Contact Rinse out with plenty of water. Remove contact lenses

Swallowed Make victim drink water (two glasses at most). Consult doctor if feeling

unwell.

Skin Contact In case of skin contact Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Inhalation No data available
Ingestion No data available

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

5. Fire-fighting Measures

www.rxmarine.com

Flammability No data available

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given

Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous

combustion gases or vapours possible in the event of fire. Forms explosive

mixtures with air at ambient temperatures.

Further information Remove container from danger zone and cool with water. Suppress

(knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water

system.

No data available

Hazardous combustion

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment No data available
Specific Hazards Arising from the Chemical No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Spillage No data available

Personal Protection Avoid dust formation. Avoid breathing vapors, mist or gas. For personal

protection see section 8

Environmental Precaution Do not let product enter drains. Risk of explosion.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up with liquid-

material restrictions (see sections 7 and 10). Take up with liquidabsorbent material (e.g. Chemizorb®). Dispose of properly. Clean up

affected area

Reference to other sections For disposal see section 13

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take

precautionary measures against static discharge.

Incompatible materials No data available

Hygiene measures Immediately change contaminated clothing. Apply preventive skin

protection. Wash hands and face after working with substance. For

precautions see section 2.2.

Work under hood. Do not inhale substance/mixture. Avoid generation of

vapours/aerosols

Conditions for safe storage, including any incompatibilities No data available

Storage conditions

Advice on safe handling

Specific end use(s)

Skin protection

Keep container tightly closed in a dry and well-ventilated place. Keep

away from heat and sources of ignition

Storage class Storage class (TRGS 510) 3 Flammable liquids

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

No data available Advice on general occupational hygiene

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls Personal protective equipment

Engineering Control No data available

Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Body Protection Flame retardant antistatic protective clothing.

> This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested:Butoject®

(KCL 898)

Recommended Filter type: Filter A-(P2) The entrepeneur has to ensure Respiratory protection that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

7.0

No data available

Other Protection Measure

9. Physical and chemical properties

www.rxmarine.com

Physical state Liquid Colour Colorless

Odour Hydrocarbon-lik Odor Threshold No data available

-95,35 °C at 1.013 hPa Melting Point 69 °C at 1.013 hPa **Boiling Point**

Flash Point -22 °C - c.c. **Evaporation Rate** No data available Flammability (solid, gas) No data available Explosive limits No data available

Upper explosion limit 8,1 %(V)Lower explosion limit 1,0 %(V) Upper/lower flammability or explosive limits

225 °C at 1.013 hPa Autoignition temperature

Decomposition temperature No data available

Vapour pressure 175,98 hPa at 20,0 °C

Viscosity Dynamic 0,3 mPa.s at 25 °C

Density 0,66 g/cm3 at 25 °C

Relative Density

No data available
Specific Gravity

No data available

Partition coefficient Log Pow ca.4 at 20 °C - (Lit.), Potential bioaccumulation

Explosive properties No data available

Solubility 0.01 g/l at $25 \,^{\circ}\text{C}$ - slightly soluble

Ignition temperature No data available
Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity Vapor/air-mixtures are explosive at intense warming.

Chemical stability The product is chemically stable under standard ambient conditions (room

temperature)

Possibility of hazardous reactions Risk of explosion with Violent reactions possible with: Strong oxidizing

agents nitrogen oxides halogens rubber various plastics Risk of ignition or formation of inflammable gases or vapours with: Peroxides (sodium salt)

Conditions to avoid Warming

Incompatible materials

No data available
Hazardous product dicomposition

No data available

11. Toxicological information

www.rxmarine.com

Acute toxicity

Skin corrosion/irritation

Serious eye damage/irritation Respiratory or skin sensitization

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

Specific target organ toxicity-single exposure

Additional Information

LD50 Oral - Rat - male and female - 16.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 172 mg/l - vapor (RTECS) LD50 Dermal - Rabbit - male - > 2.000 mg/kg (OECD Test Guideline 402)

Skin - Rabbit Skin irritation - 24 h (OECD Test Guideline 404) (Regulation (EC) No 1272/2008, Annex VI)

Eyes - Rabbit No eye irritation - 72 h (OECD Test Guideline 405)

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429

No data available

Test Type Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: dominant lethal test Species: Mouse Millipore- 1.04369 Page 9 of 13 The life science business of Merck operates as MilliporeSigma in the US and Canada Application Route: inhalation (vapor) Method: OECD Test Guideline 478 Result: negative Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: Gavage Method: OECD Test Guideline 47

Suspected of damaging fertility.

May cause drowsiness or dizziness. - Central nervous system Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 40 mg/kg - LOAEL (Lowest observed

adverse effect level) - 200 mg/kg Drowsiness, irritant effects, somnolence narcosis, Nausea, Tiredness, CNS disorders, paralysis symptoms Risk of corneal clouding. It generally applies for aliphatic hydrocarbons with 6 -18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

12. Ecological information

www.rxmarine.com

Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 98 % - Readily

biodegradable. (OECD Test Guideline 301F) (in analogy to similar

products)

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 2,5 mg/l - 96 h

(ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 2,1 mg/l - 48 h(Lit.)

No data available Toxicity Toxicity to bacteria No data available Toxicity to algae No data available **Products Biodegradation** No data available Mobility in soil No data available

Results of PBT av PvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects No data available

13. Disposal considerations

www.rxmarine.com

Product No data available No data available Contaminated packaging Waste treatment Method No data available

14. Transport information

www.rxmarine.com

ADR/RID:1208 IMDG:1208 IATA:1208 UN number

ADR/RID:HEXANES IMDG:HEXANES IATA: HEXANES UN proper shipping name

ADR/RID: 3 IMDG:3 IATA:3 Transport hazard classess Packaging group ADR/RID:ll IMDG:ll IATA:ll

Environmental hazards ADR/RID:Yes IMDG Marine pollutant:Yes IATA: No

Tunnel restriction code (D/E) Special precautions for user

Further information No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of substance or mixture

Regulation (EC) No. 1907/2006

Other regulations

Observe work restrictions regarding maternity protection in accordance to

Chemical Safety Assessment

Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

This information is based on our present knowledge. However, this shall not constitute a guarantee for anys pecific product features and shall not establish a legally valid contractual relationship.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

No data available

No data available