

1. Product and Company Identifaction

www.rxmarine.com

Product Name RXSOL-10-1739-025
Product Type Degreaser Dual strength Surfactant

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Vizag, Fujairah, Muscat

Phone +91 22 65113333 / 5555 / 9999 / 27611360
Fax +91 22 2781 1318 ::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name EC No. CAS-No. Content Classification (67/548)

Chemical characterization : VERY POWERFULL Bio Degradable CLEANER MIXTURE

Description:

Mixture contains: Carrier liquid of PETRA (20 to 30%) Along with 2-BUTOXYETHANOL 203-905-0 111-76-2 10-30% Xn;R20/21/22 Xi;R36/38, Linear - Alkyl derivative Emulsifiable products, Emulsifying agents ETHANEDIOL 203-473-3 107-21-1 10-30% Xn;R22 as surfactants, FattyAcid & alcohol derivative (biodegradable substance 85 to90%) and Ethoxylate FATTY ALCOHOL SURFACTANT Proprietary 30-60% Xn;R22. Xi;R41, FATTY ALCOHOL SURFACTANT #1 Proprietary 30-60% Xi;R38,R41, And with harmless addition.

*See Section 16

3. Hazards Identification

www.rxmarine.com

Irritant

Human Health R 36/38 : Causes Irritation / Inhalation may cause headache & dizziness . Keep away from food, children , animal .

4. First Aid Measures

www.rxmarine.com

Inhalation Supply fresh air on irritation medical attention require & show this MSDS to physician.
Skin Contact In case of contact with skin , wash immediately with plenty of water and soap Remove contaminated clothes. On eyes ointement on Doctor advice.
Eye Contact Flush with running water on open eyelids for at least 15 minutes, Immediately medical attention require.
Ingestion Seek medical attention , don't try to drink more water / milk because too much water increase the danger of vomiting (always keep head low to prevent inhalation of airways)
Suitable This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. , Water , fog resistant foam, on small fires dry chemical, carbon dioxide (CO2) also can used.
Not Suitable Alcohol foam / and high pressure of water jet may cause splitting of excess materials.
Special Container close to fire cooled immediately then remove to other place.

Precaution for fire-fighters Self contained breathing apparatus or apparatus should attached to air supply.

Note:Fired material vapours are heavier than air and may travel along the ground for.

6. Accidental Release Measures

www.rxmarine.com

Environmental Precaution

Direct flow into drainage system, surface or ground water is prohibited

Cleaning Method

for preventing the spreading of materials remove spill mechanically or with absorbent materials and dispose of in section 13. Flush with large amounts of water to clean the area. Ventilate well. Personal: During usage of chemical wear all normal protective equipment and avoid contact with eye and skin and for use in close environment personnel should wear breathing apparatus

7. Handling and Storage

www.rxmarine.com

Storage Ensure Adequate Ventilation

Condition to Avoid

Flammable but product is stable under normal condition, take precaution as industrial chemical.

Materials to Avoid

Do not subject directly to ALKALINE / Acidic medium.

Handling

Keep Container Tightly *Closed* in the original container and keep away from open flames / ignition sources.

Note

Eyewash facilities require at workplace

The product causes corrosion on skin and mucous membranes GENERALLY PI. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser. For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website www.rxmarine.com Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSOL.)

8. Exposure controls and personal protection

www.rxmarine.com

Product Properties

Respiratory System Protection

Approved respirator must be worn when spraying otherwise normally not required

Eye Protection

If there is possibility to contact wear goggles for eye protection

Hand protection

Wear PVC chemical resistance protective gloves

Other Information

Smoking in store / work area is prohibited.

2-BUTOXYETHANOL WEL 25 ppm 50 ppm Sk

ETHANEDIOL WEL 10 mg/m3 104 mg/m3 Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

ENGINEERING MEASURES : Provide adequate general and local exhaust ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

HAND PROTECTION : Use protective gloves.

EYE PROTECTION : Wear approved safety goggles.

OTHER PROTECTION : Wear suitable protective clothing as protection against splashing or contamination.

HYGIENE MEASURES

When using do not eat, drink or smoke. Wash promptly with soap & water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

www.rxmarine.com

Appearance / odour

Clear yellowish liquid / Mild

Density

g/cm³ at 15°C: 0.99

pH

Neutral

Flash Point

76 °C

Boiling point

>NA

Ignition temp

>NA

SOLUBILITY

Emulsifiable with water / soluble in most solvents

10. Stability and reactivity

www.rxmarine.com

Avoid contact with acids and oxidising substances , Stable under normal condition on access of heat Vapour/gas may form explosive mixtures with air.Hazardous Decomposition Products: No decomposition if stored and used as directed. In FIRE combustion CO, CO2 , NH3 , SOX etc hazardous gas produced.Note : MATERIALS TO AVOID Hydrocarbons and their derivatives may attack certain types of plastic, rubber and paint

11. Toxicological information

www.rxmarine.com

Skin Irritation	Gives irritation may causes dryness. And prolonged contact with skin can cause degreasing effect.
Eye Irritation	Cause severe irritation
Sensitization	Sensitizing properties not known
Chronic Toxicity	Not Identified
Carcinogenicity	Not regulated. (prolonged inhalation of solvents may cause chronic solvent intoxication.

12. Ecological information

www.rxmarine.com

RXSOL-10-1741 emulsifies in water and degradable , DEGRADABILITY

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

13. Disposal considerations

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article.

14. Transport information

www.rxmarine.com

Goods classified for road /rail /	Sea transport	YES with	UN-no
Proper shipping name	Environmentally hazardous liquid	contains	(Alkyl (C3-C8) Benzene)
Hazard identification no	90 Product identification		(UN) no
TREMCARD no.	CEFIC	90G01	
Marine pollutant	Yes		
Flash point	76 °C		
Labelcolour	White./Black.		

Marine pollutant: No

Transport/Additional information

15. Regulatory information

www.rxmarine.com

Contains: Aromatic Hydrocarbons, Alkyl (C3-C8)

R	phrases
R	51/53 Toxic to aquatic organisms/may cause long term adverse effects in the Environment

R	52 Marine Pollutant
R	65 Harmful: May cause lung damage if swallowed
S	phrases
S	23 Do not breathe vapour
S	24 Avoid contact with skin
S	60 This material and its container must be disposed of as hazardous waste
S	61 Avoid spillage to the environment. Ask for special instructions/safety Datasheet
S	62 If swallowed, do not induce vomiting; seek medical advice immediately
S	36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

REFERENCES Classified according to European directive on classification of dangerous preparations 90/492/EEC and accordance with EU directive 88/379. .

16. Other information

www.rxmarine.com

on the basis of information and experience as well as our present knowledge this guidelines is only safe for handling, use, processing, storage, transport, disposal and discharge; this is not a guarantee or quality of specification. And combination with other products will lost the properties. It is always the responsibility of the user to take all necessary steps to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the product. It is not to be considered as a guarantee of the products properties. Disclaimer: The information in this MSDS is meant as a description of the safety requirements of our product.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.