Product Name RXSOL-40-4091-025

Product Type Scale and Corrosion Inhibitor (Cooling Water Treatment)

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock: Mumbai, Kandla, Kolkata, Vishakhapatnam, Chennai, Fujairah, Muscat, Kenya, Canada

Phone +91 22 65113333 / 5555 / 9999

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

Hazardous Components CAS-No EINECS-No. Concentration Symbol(s) R-phrase(s)

Poly(maleic acid) 26099-09-2 >=5 - =5 - =5 - =1 - =1

- =1 - 100,00 °C

Melting point/range (ca.)0 °C

Sublimation point no data available

pH < 2,5

Flash point no data available
Ignition temperature no data available
Evaporation rate no data available
Lower explosion limit / no data available

Upper explosion

limit

Dust explosion class no data available
Dust explosion constant no data available
Burning number no data available
Particle size no data available
Vapour pressure 24,00 hPa Calculated

Vapor Pressure

Vapour density no data available
Density (ca.)1,18 g/cm3 @ 68

°F / 20 °C

Bulk density no data available Solubility Water completely

miscible

Partition coefficient: n- no data available

octanol/water

log Pow no data available Autoignition no data available

temperature

Viscosity, dynamic no data available
Viscosity kinematic no data available
Hydrolysis no data available
Physico-chemical no data available

removability

10. Stability and reactivity

www.rxmarine.com

Stability: Stable under recommended storage conditions.

Conditions to avoid: excessive heat, Exposure to sunlight.

Incompatible products: Organic materials, Powdered metals, Strong oxidizing agents, strong alkalis, steel, strong reducing agents

Hazardous decomposition products; carbon dioxide and carbon monoxide, Hydrocarbons, corrosive vapors, toxic fumes, hydrogen cyanide in reducing atmospheres, nitrogen oxides (NOx), Sulphur oxides

Hazardous reactions: Hazardous polymerisation does not occur

11. Toxicological information

www.rxmarine.com

Exposure routes

Skin contact, Eye Contact, Ingestion, Inhalation

Eye contact

Causes eye irritation.

Skin contact

Causes skin irritation.

Ingestion

May cause burns to mouth, throat and stomach. Not known to be harmful if swallowed.

Inhalation

May cause respiratory tract irritation. Not known to be harmful if inhaled.

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Skin, Upper respiratory tract, lung (for example, asthma-like conditions)

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), Nose bleeding, Cough, choking, chest pain, Difficulty in breathing, lung edema (fluid buildup in the lung tissue)

Target Organs

Overexposure to this material (or its components) has been suggested as a cause of the following effects in humans: damage to tooth enamel, effects on lung function, respiratory tract damage (nose, throat, and airways)

Acute oral toxicity

Poly(maleic acid) (26099-09-2): LD 50 Rat: 12.500 mg/kg 2-Acrylamido-2-methylpropanesulfonic acid-acrylic acid copolymer (40623-75-4): no data available [[(2-: no data availableHy

droxyethyl)imino]bis(methylene)]bisphosphonic acid (5995-42-6) Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-0 57-2) : LD 50 Female Rat: 735 mg/kg. Sulphuric acid (7664-93-9) : LD 50 Rat: 2.140 mg/kg hydrochloric acid...% (7647-01-0) : LD 50 Rabbit: 900 mg/kg

Acute inhalation toxicity Poly(maleic acid) (26099-09-2): no data available 2-Acrylamido-2-methylpropanesulfonic acid-acrylic acid copolymer (40623-75-4): no data available [[(2- Hydroxyethyl)imino]bis(methylene)]bisphosphonic acid (5995-42-6): no data available Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-57-2): no data available

Sulphuric acid (7664-93-9) : no data available hydrochloric acid...% (7647-01-0) : LC 50

Rat: 3.124 mg/l, 1 h Acute dermal toxicity Poly(maleic acid) (26099-09-2): no data available

2-Acrylamido-2-methylpropanesulfonic acid-acrylic acid copolymer (40623-75-4): no data available [[(2-ydroxyethyl)imino]bis(methylene)]bisphosphonic cid (5995-42-6) no data available odium 4(or 5)-methyl-1H-benzotriazolide (64665-7-2) LD 50

Rabbit:

> 2.000 mg/kg

Sulphuric acid (7664-93-9): no data available

hydrochloric acid...% (7647-01-0): no data available

12. Ecological information

www.rxmarine.com

Elimination information (per sistence and degradability) iodegradability Poly(maleic acid) (26099-09-2): no data available

2-Acrylamido-2-methylpropanesulfonic acid-acrylic: no data available

acid copolymer (40623-75-4) [(2-ydroxyethyl)imino]bis(methylene)]bisphosphonic

acid (5995-42-6) no data available

Sodium 4(or 5)-methyl-1H-benzotriazolide (64665- 7-2): 70 % Exposure time: 28 d

Sulphuric acid (7664-93-9): no data available

hydrochloric acid...% (7647-01-0): no data available

Physico-chemical removability

Poly(maleic acid) (26099-09-2): no data available

2-Acrylamido-2-methylpropanesulfonic acid-acrylic

acid copolymer (40623-75-4): no data available

[[(2-Hydroxyethyl)imino]bis(methylene)]bisphosphonic

acid (5995-42-6): no data available

Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-57-2): no data available

Sulphuric acid (7664-93-9): no data available

hydrochloric acid...% (7647-01-0): no data available

Bioaccumulation: The bioaccumulation potential cannot be determined, cotoxicity effects oxicity to fish

Poly(maleic acid) (26099-09-2): 96 h LC50 Rainbow trout, donaldson trout

(Oncorhynchus mykiss): 100,000 mg/l

2-Acrylamido-2-methylpropanesulfonic acid-acrylic acidcopolymer (40623-75-4): No data available

[[(2-Hydroxyethyl)imino]bis(methylene)]bisphosphonicacid (5995-42-6): No data available

 $Sodium\ 4 (or\ 5)-methyl-1 H-benzotriazolide\ (64665-57-2\): 96\ h\ LC\ 50\ Lepomis\ macrochirus\ (Bluegill\ sunfish): >173,000\ mg/l$

96 h LC 50 Danio rerio (zebra fish): 122,000 mg/l

Sulphuric acid (7664-93-9): 96 h LC 50 Western mosquitofish (Gambusia affinis): 42,000 mg/l Method: Static Mortality

Hydrochloric acid...% (7647-01-0): no data available

Toxicity to daphnia and other aquatic inver tebrates.

Poly(maleic acid) (26099-09-2): 48 h LC 50 Daphnia magna (Water flea): 580,000 mg/l

2-Acrylamido-2-methylpropanesulfonic acid-acrylic

acid copolymer (40623-75-4)

: no data available

[[(2-Hydroxyethyl)imino]bis(methylene)]bisphosphonicacid (5995-42-6): no data available

Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-57-2): 48 h EC 50 Water flea (Daphnia magna): 280,000 mg/l

Sulphuric acid (7664-93-9) : no data available

hydrochloric acid...% (7647-01-0) : no data available

Toxicity to algae

Poly(maleic acid) (26099-09-2): no data available

2-Acrylamido-2-methylpropanesulfonic acid-acrylic

acid copolymer (40623-75-4)

: no data available

[[(2-Hydroxyethyl)imino]bis(methylene)]bisphosphonicacid (5995-42-6): no data available

Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-57-2): 72 h Growth inhibition EC 50 Pseudokirchneriella

subcapitata (green algae): 26,200 mg/l

Sulphuric acid (7664-93-9): no data available

hydrochloric acid...% (7647-01-0) : no data available

Toxicity to bacter ia

Poly(maleic acid) (26099-09-2): no data available

2-Acrylamido-2-methylpropanesulfonic acid-acrylic

acid copolymer (40623-75-4): no data available

[[(2-Hydroxyethyl)imino]bis(methylene)]bisphosphonicacid (5995-42-6)

: no data available

Sodium 4(or 5)-methyl-1H-benzotriazolide (64665-57-2): no data available

Sulphuric acid (7664-93-9): no data available hydrochloric acid...% (7647-01-0): no data available

13. Disposal considerations

www.rxmarine.com

Waste disposal methods

Dispose of in accordance with the European Directives on waste and hazardous waste. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

Empty packaging

Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

European Waste Catalogue

The Waste code should be assigned in discussion between the user and the waste disposal company.

14. Transport information

www.rxmarine.com

REGULATION

ID NUMBER PROPER SHIPPING *HAZARD SUBSIDIARY PACKING MARINE
NAME CLASS HAZARDS GROUP POLLUTANT /
LTD. QTY

ADR: Not dangerous goods ADNR: Not dangerous goods RID: 'Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO :Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER :Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. Regulatory information

www.rxmarine.com

R-phrase(s)

R36/38 Irritating to eyes and skin.

S-phrase(s)

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

S51 Use only in well-ventilated areas.

S60 This material and its container must be disposed of as hazardous waste.

Notification status

US. Toxic Substances Control Act n (Negative listing)

Canada. Canadian Environmental Protection Act (CEPA).

Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133) n (Negative listing)

Australia. Industrial Chemical (Notification and Assessment) Act n (Negative listing)

New Zealand. Inventory of Chemicals (NZIoC), as published by

ERMA New Zealand n (Negative listing)Japan. Kashin-Hou Law List n (Negative listing)

16. Other information

www.rxmarine.com

Full text of R-phrases referred to under sections 2 and 3

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

R34 Causes burns.

R22 Harmful if swallowed.

R35 Causes severe burns.

R37 Irritating to respiratory system.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.