

## 1. Product and Company Identification

www.rxmarine.com

Product Name Professional Stone Tiles Cleaner Concentrate

Product Type **RXSOL-41-8920-025**

### Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.

VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540

Fax +91 22 2781 1318 :::AOH :0091 9322594669

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Concentration	CAS Number	R Phrases*	Symbols
Dipropylene glycol butyl ether	10-30	29911-28-2	34	C
2-(butoxyethoxy)ethanol	1-5	112-34-5	36	Xi
Isopropyl alcohol	2-5	67-63-0		
Alcohol Ethoxylate	2-5	7732-18-5		
Non classified ingredients	60-90			

## 3. Hazards Identification

www.rxmarine.com

Physical hazards ::: Flammable liquids Category 3

Health hazards ::: Not classified.

OSHA defined hazards ::: Not classified.

Storage Store in a well-ventilated place. Keep cool.

## 4. First Aid Measures

www.rxmarine.com

### First Aid

#### INHALATION

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

#### SKIN CONTACT

Flush skin with water after contact. Wash contaminated clothing before reuse.

#### EYE CONTACT

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

#### INGESTION

If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

### Notes to Physicians

Activated charcoal mixture may be beneficial. Suspend 50 g activated charcoal in 400 mL water and mix well. Administer 5 mL/kg, or 350 mL for an average adult.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Flammable Properties

Not a fire or explosion hazard.

Extinguishing Media

Use media appropriate for surrounding material.

Fire Fighting Instructions

Evacuate personnel to a safe area. Wear self-contained breathing apparatus (SCBA) and full protective equipment.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

**Safeguards (Personnel)**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Initial Containment

Dike spill.

Spill Clean Up

Dispose of in an approved container.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

**Handling (Personnel)**

Avoid inhalation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Wash clothing after use. Handling (Physical Aspects)  
Keep container tightly closed.

**Storage**

Store in a cool, dry place. Avoid freezing or extended storage in high temperatures.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

**Engineering Controls**

Use only with adequate ventilation. Personal Protective Equipment

EYE/FACE PROTECTION

Wear safety glasses, or where splash potential exists wear chemical splash goggles.

RESPIRATORS

Where the potential exists for airborne exposure, wear NIOSH approved respiratory protection.

PROTECTIVE CLOTHING

---

Where there is potential for skin contact, have available and wear as appropriate impervious gloves, apron or smock.

#### # Exposure Guidelines

##### Applicable Exposure Limits

Isopropyl Alcohol

PEL (OSHA) : 400 ppm, 980 mg/m<sup>3</sup>, 8 Hr. TWA

TLV (ACGIH) : 200 ppm, 8 Hr. TWA, A4

STEL 400 ppm

AEL \* (DuPont) : 200 ppm, 8 & 12 Hr. TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

pH :	6-7
Odor :	(slight), Solvent.
Form :	Liquid.
Color :	Colorless to Amber.
Specific Gravity :	0.99-1

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

#### Chemical Stability

Stable at normal temperatures and storage conditions.

#### Incompatibility with Other Materials

Incompatible or can react with strong oxidizers.

#### Decomposition

Thermal decomposition may produce carbon dioxide, carbon monoxide.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

#### Waste Disposal

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

Shipping Information

Not Regulated as a hazardous material by DOT, IMO, or IATA.

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

U.S. Federal Regulations

TSCA Inventory Status : Listed.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

# Indicates updated section.

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.