

1. Product and Company Identification

www.rxmarine.com

Product Name **RXSOL 666 ISO Tank Cleaner**
Part Number **RXSOL-20-0666-050**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333
Fax +91 22 2781 1318 ::AOH :0091 9821214367
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Ethoxylated Fatty alcohol, Proprietary blend compound with Linear Alkyl derivative remaining which is not in the list as Hazardous materials .

*See Section 16

3. Hazards Identification

www.rxmarine.com

Odour	Butyl Order
Appearance	Liquid, Light or dark Brown, soluble in water.
Contact with eyes	Risk of serious damage to eyes (R41).
Contact with skin	Repeated exposure may cause skin dryness or cracking (R66), Mildly irritating to skin.
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract.
Ingestion	The ingestion of significant quantities may cause gastro-intestinal disturbances.

4. First Aid Measures

www.rxmarine.com

Contact with skin	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and
Contact with eyes	If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. Seek medical advice
Ingestion	Never give anything by mouth to an unconscious person. Give plenty of water to drink. Seek medical advice if necessary
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract. Remove patient to fresh air
General	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

5. Fire-fighting Measures

www.rxmarine.com

- Non combustible
- Carbon oxides may be formed
- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Wear protective clothing as per section 8.
Environmental Precautions	Direct flow into drainage system, surface or ground water is prohibited. First of all neutralize with alkaline materials for pH balancing between 6-10.

Immediate Actions	Shut off source of leak if safe to do so.
Clean Up Actions	Absorb spillage in suitable inert material.
Special Precautions	Flush spill area with copious amounts of water. Wear protective clothing as per section.

7. Handling and Storage

www.rxmarine.com

Handling	The usual precautions for handling chemicals should be observed
Storage	Eyewash bottles should be available Keep only in the original container in a cool, well ventilated place (S3/9/49) Protect from frost

Note : The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser . For example if pH is less than 6 basic neutralizer is required and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website www.rxmarine.com

8. Exposure controls and personal protection

www.rxmarine.com

Exposure Limits	There are no recommended or established controls for this product
Exposure controls	No special ventilation is required unless the product is used in a spray form
Occupational exposure controls	No respiratory protection is required unless subject to contact with substance mist Wear suitable protective clothing protection and gloves(plastic or rubber are recommended)



Goggles

9. Physical and chemical properties

www.rxmarine.com

Odour	Butyl Order
Appearance	Liquid, Clear Brown, soluble in water
pH	1.5 at 10 % concentration
Boiling point	100 °C at 760 mm /Hg
Vapour pressure	not known
Freezing point	