

1. Product and Company Identification

www.rxmarine.com

Product Name Decarbonizer Cum Neutralizer
Product Type RXSOL-41-4160-030

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kolkata, Chennai, Visakhapatnam, Gandhidham, Fujairah, Muscat, Nairobi

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax +91 22 2781 1318 ::AOH :0091 9322594669
Email mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

HAZARDOUS INGREDIENTS:

CAS NUMBER	CHEMICAL NAME	WEIGHT %	OSHA PEL	ACGIH TLV	OTHER LIMITS
8032-32-4	VM P Naphtha	40 - 50	300 ppm	300 ppm	ND
111-76-2	2-Butoxyethanol	40 - 50	50 ppm	20 ppm	5 ppm (NIOSH)
Mixture	Polymer/Amine/Solvent blend	5 - 15	ND	ND	ND

3. Hazards Identification

www.rxmarine.com

SUMMARY OF ACUTE HAZARDS

ROUTE OF EXPOSURE	SIGN AND SYMPTOM	PRIMARY ROUTE
INHALATION	MAY CAUSE LIGHT HEADACHES OR DIZZINESS	YES
EYE CONTACT	MAY CAUSE IRRITATION	YES
SKIN CONTACT	MAY CAUSE IRRITATION	YES
INGESTION	MAY CAUSE STOMACH DISTRESS, NAUSEA, AND VOMITING	YES

SUMMARY OF CHRONIC HAZARDS:

Exposure to 2-butoxyethanol can result in skin irritation and contact dermatitis.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing disorders of the skin, eyes, and respiratory tract may be exacerbated by exposure to 2-butoxyethanol.

4. First Aid Measures

www.rxmarine.com

Description of first aid measures

INHALATION	Move to fresh air or provide fresh air by ventilation. If symptoms persist, seek medical attention.
EYE	Remove any contact lenses and flush with running water for 15 minutes. Obtain medical attention if irritation persists.
SKIN	Flush with water. Wash with soap and water. If irritation persists, seek

INGESTION

medical attention. Wash contaminated clothing before reuse.

Do not induce vomiting. Rinse mouth out. Obtain medical attention immediately. If unconscious, never give anything by mouth.

5. Fire-fighting Measures

www.rxmarine.com

FLASH POINT °F

0, TCC (VM&P Naphtha)

FLAMMABILITY LIMITS

LEL: 1.1% UEL: 5.9% (VM&P Naphtha)

AUTO-IGNITION TEMPERATURE (oF)

471 (2-butoxyethanol)

EXPLOSION

Above flash point, vapor-air mixtures may be explosive within flammable limits noted above. Closed containers may rupture when heated. Sensitive to static discharge.

EXTINGUISHING MEDIUM

Water, foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Hazardous combustion products may include and are not limited to oxides of carbon.

6. Accidental Release Measures

www.rxmarine.com

PERSONAL PROTECTIVE EQUIPMENT:

For large spills, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

MATERIAL RELEASED OR SPILLS:

Small spills may be absorbed with non-reactive absorbent material and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers, waterways, and soil. Keep materials away from heat and sources of ignition.

7. Handling and Storage

www.rxmarine.com

STORAGE:

Store in accordance with NFPA 30B for extremely flammable liquids. Keep out of reach of children. Store closed container upright away from incompatible materials and food. Do not store near heat, flame, sparks or other forms of ignition. In closed spaces, provide exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limit value.

OTHER PRECAUTIONS:

Containers of this material may be hazardous when emptied. Do not re-use empty containers.

8. Exposure controls and personal protection

www.rxmarine.com

RESPIRATORY PROTECTION

OTHER PERSONAL PROTECTION

ENGINEERING CONTROLS

General ventilation normally adequate.

SPECIAL

NA

PROTECTIVE GLOVES

Not needed in normal usage.

EYE PROTECTION

Not required under normal conditions, but always advisable when using chemical products.

WORK/HYGENIC PRACTICES

Where use can result in skin contact, wash exposed area thoroughly before eating, drinking, smoking, or in food preparation. Launder contaminated clothing before re-use.

9. Physical and chemical propertieswww.rxmarine.com

Information on basic physical and chemical properties:

APPEARANCE	Colorless, slight amber tinge
PHYSICAL STATE	Liquid
VAPOR PRESSURE (mmHg)	ND
SOLUBILITY IN WATER	Insoluble
SPECIFIC GRAVITY	0.75-0.85
PARTITION COEFFICIENT OF WATER/OIL DISTRIBUTION	ND
ODOR	Ammoniacal solvent
BOILING POINT (°F)	ND
VAPOR DENSITY (AIR=1):	ND
MELTING POINT	NA
EVAPORATION RATE (ETHYL ACETATE =1)	ND
pH	NA

10. Stability and reactivitywww.rxmarine.com

STABILITY

Stable

CONDITIONS TO AVOID

Heat, ignition sources (spark, flame), incompatible materials

HAZARDOUS DECOMPOSITION PRODUCTS

May include, but is not limited to oxides of carbon.

INCOMPATIBILITY

Oxidizers and reducers.

HAZARDOUS POLYMERIZATION

Will not occur.

11. Toxicological informationwww.rxmarine.com

CARCINOGENICITY

ND

NTP

No

REPRODUCTIVE TOXICITY

ND

SKIN/TEX DATA

ND

IARC MONOGRAPHS

NO

OSHA REGULATED

NO

TERATOGENICITY

ND

MUTAGENICITY

ND

There is no LD50 or LC50 information available for humans. The product may contain trace amounts of byproducts or impurities, including ethylbenzene and naphthalene, which are known to the State of California to cause cancer.

12. Ecological informationwww.rxmarine.com

WATER FOWL TOXICITY

No data available for ingredients in this product.

BOD

No data available for ingredients in this product.

AQUATIC TOXICITY

No data available for ingredients in this product.

13. Disposal considerations

www.rxmarine.com

DISPOSAL METHOD

CONTAINER DISPOSAL

Dispose of in accordance with all local, state, and Federal regulations.

Dispose of in accordance with all local, state, and Federal regulations.

14. Transport information

www.rxmarine.com

DOT PROPER SHIPPING NAME

Flammable liquid n.o.s. (contains naphtha & glycol ether), UN1993.PG II, Ltd. Qty., ERG#128

DOESTIC GROUD TRASPORTATIO (Quart sizes & less):

Consumer Commodity, ORM-D

OCEAN (IMDG)

Flammable liquid n.o.s. (contains naphtha & glycol ether), UN1993.PG II, Ltd. Qty., ERG#128

AIR (IATA)

Flammable liquid n.o.s. (contains naphtha & glycol ether), UN1993.PG II, Ltd. Qty., ERG#128

WHMIS (CANADA)

Class B-2

UN Number

1993

NAFTA HS Code

3811.90.0000

15. Regulatory information

www.rxmarine.com

TSCA

All ingredients are listed on the TSCA inventory.

ARA 313

None listed.

CERCLA RQ

NA.

RCRA CODE

NA.

16. Other information

www.rxmarine.com

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R41: Risk of serious damage to eyes. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.