

## 1. Product and Company Identification

www.rxmarine.com

Product Name Alkaleen Liquid Heavy Duty

Part Number RXSOL-16-2005-050

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Canada, Muscat, Fujairah, Kenya Mombasa, Mumbai, Gandhidham, Kolkata, Vizag, Chennai

Phone +91 22 65113333 / 5555 / 9999 / 27815540

Fax +91 22 2781 1318 :::AOH :0091 9821214367

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Percentage	Cas Number	EC Number
Potassium Hydroxide	10-30%	1310-58-3	215-181-3
C6 Alkylglucoside	1-5%	54549-24-5	259-217-6
Proprietary Blend of Surfactant mixture	15-20	.....	.....

R/H Phrases: R41 - H318

## 3. Hazards Identification

www.rxmarine.com



Corrosive

Hazard phrases ::: Harmful if swallowed . Causes severe skin burns and eye damage ).

May be corrosive to metals .

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting .

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician .

## 4. First Aid Measures

www.rxmarine.com

Inhalatin	Remove Patient to fresh air. Seek medical advice if necessary
Eye Contact	If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes Irrigate eyes thoroughly whilst lifting eyelids Obtain immediate medical attention Continue flushing with water until medical help arrives
Ingestion	Do not induce vomiting.Never give anything by mouth to an unconscious person Give water or milk to drink Obtain immediate medical attention

## 5. Fire-fighting Measures

www.rxmarine.com

Extinguishing media	Not flammable. In case of fire use extinguishing media
Special hazards arising from the substance or mixture	Smoke from fires is irritating
Advice for firefighters	Wear Breathing Apparatus

## 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Wear protective clothing as per section
Environmental Precautions	Do not allow to enter public sewers and watercourses
Methods and material for containment and cleaning up	Absorb spillage in inert material and shovel up. Ventilate to material pick-up is complete
Reference to other sections	Section 13

## 7. Handling and Storage

www.rxmarine.com

Precautions for safe handling	Eyewash bottles should be available. Do not get in eyes, on skin, or on clothing
Conditions for safe storage, including any incompatibilities	Store materials in cool and dry place. Container should be in place
Protect from	Direct Sunlight

## 8. Exposure controls and personal protection

www.rxmarine.com

Control parameters - potassium hydroxide

Exposure controls - No special ventilation is required unless the product is used in a spray form

Occupational exposure controls

Body Protection

Wear suitable protective clothing, including eye/face protection and gloves.

Eye Protection

Wear eye protection (on possibility of contact )

Hand protection

Wear PVC chemical resistance protective glove



Gloves



Goggles

## 9. Physical and chemical properties

www.rxmarine.com

Appearance

Clear liquid to pale Yellow

Density

In g/cm<sup>3</sup> at 20°C: 1.16 - 1.18

Compatibility	
Metal	No known effect
Rubber	No known effect
pH	Alkaline ( 13 -14)
Flash point	Not Applicable
Solubility	100% soluble in water
Boiling point	>100 °C to 760 °C

## 10. Stability and reactivity

www.rxmarine.com

Reactivity	No hazardous reactions known if used for its intended purpose
stability	Considered stable under normal conditions
Hazardous reactions	No hazardous reactions known if used for its intended purpose
Conditions to avoid	Avoid contact with aluminium ,galvanised metals and zinc
Incompatible materials	Incompatible with acid and oxidizing substances
Hazardous Decomposition Products	No hazardous decomposition products known

## 11. Toxicological information

www.rxmarine.com

Information on toxicological effects	LD50 (oral,rat) >2000 mg/kg
Contact with eyes	Can cause damage to the eyes
Contact with skin	Causes redness and irritation .Prolonged skin or eye contact may cause chemical burns.
Ingestion	The ingestion of significant quantities may cause burning sensation.The ingestion of significant quantities may cause damage to digestive system
Inhalation	In cases of severe exposure, irritation may develop

## 12. Ecological information

www.rxmarine.com

### Toxicity

- LC50 (fish) >100 mg/l (Alkylglucoside hr)
- Biodegradability. OECD-test. 28 days >60 % (Alkylglucoside)
- EC50 (daphnia) >100 mg/l (Alkylglucoside hr)
- This product contains an alkaline substance which may cause a high pH-value.
- Effect depends on waterquality and the organisms tolerance due to pH-value.
- This product does not contain ingredients which are classified in the EU as dangerous for the environment.

### Persistence and degradability

- Its main ingredients will either dissolve rapidly and dissociate in water or are readily/inherently biodegradable.

### Bioaccumulation Potential

- Bioaccumulation of the components in this product is insignificant.

## Mobility in soil

- Completely soluble in water

## Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

### 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article. Do not discharge into drains or the environment, dispose to an authorised waste collection point

### 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

Proper Shipping Name

UN	Proper Shipping Name UNNo. Hazard Class	Potassium hydroxide, solution 1824 8	PackingGroup
Road/Rail(ADR/RID)	Proper Shipping Name ADR UN No. ADR Hazard Class	Potassium hydroxide, solution 1824 8	Tremcard
Sea(IMDG)	Proper Shipping Name IMDG UN No. IMDG Hazard Class. IMDG EmS IMDG Labels	Potassium hydroxide, solution 1824 8 F-A, S-A 8	IMDG Pack Group. IMDG subrisk IMDG Flash point
Air(ICA/O/IATA)	Proper Shipping Name ICAO Un No. ICAO Hazard Class ICAO subrisk ICAO Flashpoint	Potassium hydroxide, solution 1824 8 N/A N/A	ICAO Packing Group. ICAO Labels
DOT/ CFR (US Department of Transportation)	DOT Proper Shipping Name Hazardous Material Hazard Class Product RQ (lbs) DOT Labels	Potassium hydroxide, solution Potassium hydroxide 8 3640 8	Identification Number DOT subrisk DOTFlashpoint

### 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Classification and labelling according to Chemicals Hazard Information and Packaging Regulations (CHIP). Symbols of danger :- C Corrosive

R phrases

R 35 : Causes severe burns

S-phrases

S2: Keep out of reach of children S26 :In case of contact with eyes, rinse immediately with plenty of water and see

S28 : After contact with skin, wash immediately with plenty of water. S37/39 : Wear suitable gloves and eye/face protection

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rx Marine International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.