

## 1. Product and Company Identification

www.rxmarine.com

Product Name Defoamer Di Amine Based  
Product Type RXSOL-81-8127-220

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Kandla, Mumbai, Kolkata, Chennai, Surat, Fujairah, Muscat

Phone +91 22 27815540 / 41 / 42  
Fax +91 22 2781 1318 :::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Name	CAS#	% by Weight
Ethylene Diamine	107-15-3	20-40
Proprietary BLEND	NA	60 - 80

## 3. Hazards Identification

www.rxmarine.com

IF IN EYES	Rinse with water for several minutes. Repeat if needed.
IF ON SKIN	Wash with plenty of soap and water.
Inhalation	No first aid should be needed. If discomfort occurs, remove to fresh air.
Ingestion	No first aid should be needed. If discomfort occurs, obtain medical attention.

## 4. First Aid Measures

www.rxmarine.com

Eye Contact	No first aid should be needed. If discomfort occurs, flush with water.
Skin Contact	No first aid should be needed.
If inhaled	No first aid should be needed. If discomfort occurs, remove to fresh air.
Inhalation	Never give anything by mouth to an unconscious person. Rinse mouth with water.
Ingestion	No first aid should be needed. If discomfort occurs, obtain medical attention.

## 5. Fire-fighting Measures

www.rxmarine.com

Suitable Extinguishing Media	Carbon dioxide, dry powder, foam, or water spray. Water can be used to cool fire exposed containers.
Unsuitable Extinguishing Media	None known
Specific Hazards Arising from the Chemical	Silicon Dioxide. Carbon oxides and traces of incompletely burned carbon compounds.
Special Protective Actions for Fire-Fighters	Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

## 6. Accidental Release Measures

www.rxmarine.com

### Personal Precautions and Protective Equipment:

Avoid eye and skin contact. Use personal protective equipment.

### Environmental Precautions:

Prevent from entering drains or water sources.

### Containment/Clean up:

Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

## 7. Handling and Storage

www.rxmarine.com

### Handling Precautions

Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

### Storage Conditions

Keep container tightly closed and away from oxidizing materials.

## 8. Exposure controls and personal protection

www.rxmarine.com

### Engineering Controls

#### Local Ventilation

None should be needed.

### Personal Protective Equipment:

#### Respiratory protection

In the case of vapour formation use a respirator with an approved filter.

#### Hand protection

Gloves are not normally required.

#### Eye protection

Safety glasses should be worn.

#### Skin protection

Protective equipment is not normally required.

#### Hygiene measures

Observe good industrial hygiene practices. Wash after handling.

## 9. Physical and chemical properties

www.rxmarine.com

### Appearance

CLEAR, LIGHT YELLOW LIQUID

### Colour

Tan

### Odour

Mild ammoniated

### Odour Threshold

Not determined

### Flash Point

>100oC (Pensky-Martens closed cup)

### Flammability

Not determined

### Flammability Limits

Not determined

### Auto-ignition Temperature

Not determined

### Decomposition Temperature

Not determined

### Specific Gravity @25oC

1.03 +/- 0.5 G/CM3

### Solubility in Water

Dispersible

### Viscosity@25oC

Not determined

### Melting/Freezing Point

Not determined

### Initial Boiling Point

>100oC @ 760 mmHg

### Boiling Range

Not determined

### Explosive Properties

No

### Vapour Pressure @25oC

Not determined

### Vapour Density

Not determined

Partition Coefficient	Not determined
pH	10.5 +/- 0.5
Oxidising Properties	No
Evaporation Rate	Not determined

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Chemical Stability	Stable
Possibility of Hazardous Reactions	Hazardous polymerization will not occur.
Conditions to Avoid	None known
Incompatible Materials	Strong oxidizing material can cause a reaction
Hazardous decomposition products	
The following decomposition products may form during fire or at very high temperatures:	Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

IF IN EYES	Rinse with water for several minutes. Repeat if needed.
IF ON SKIN	Wash with plenty of soap and water.
Inhalation	No first aid should be needed. If discomfort occurs, remove to fresh air.
Ingestion	No first aid should be needed. If discomfort occurs, obtain medical attention.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Ecotoxicity:	
Environmental Effects	
Acute	No adverse effects on aquatic organisms.
Chronic	No adverse effects on aquatic organisms.
Persistence and degradability:	
Degradation	In soil, siloxanes are degraded.
Environmental Fate and Distribution	Siloxanes are removed from water by sedimentation sewage or binding to sludge.
Bioaccumulative potential:	
Bioaccumulation	No bioaccumulation potential.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product Disposal	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Packaging Disposal	Dispose of in accordance with local regulations.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

NA

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

NA

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall RXMARINE International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if rxmarine.com has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.