

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

Product Name RXSOL-60-6604-925  
Product Type MERCURIC CHLORIDE  
Revised date

Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone +91 22 27815541 / 42  
Fax +91 22 2781 1318 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

Substance / Preparation : mercury dichloride; mercuric chloride

CAS No :7487-94-7

Substance.

Substance name Contents CAS No

mercury dichloride; mercuric : 100 % 7487-94-7

Contains no other components or impurities which will influence the classification of the product.

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Muta. Cat. 3; R68 Repr. Cat. 3; R62 T+; R28 T; R48/24/25 C; R34 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Germ cell mutagenicity - Category 2 - Warning (CLP : Muta. 2) H341

Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361

Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372

Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318

Acute toxicity, Oral - Category 1 - Danger (CLP : Acute Tox. 1) H300

Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314

---

Environmental hazards : Hazardous to the aquatic environment

- Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning ( CLP : Aquatic Chronic 1) H410

### 3.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : T+ : Very toxic N : Dangerous for the environment

R Phrase(s) : R28 : Very toxic if swallowed. R34 : Causes burns.

R48/24/25 : Toxic : danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

R62 : Possible risk of impaired fertility. R68 : Possible risks of irreversible effects.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s) : S1/2 : Keep locked up and out of reach of children.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S

36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

S60 : This material and its container must be disposed of as hazardous waste. S

61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)

### Hazard pictograms

Signal words : Danger

Hazard statements : H300 : Fatal if swallowed.

H314 : Causes severe skin burns and eye damage.

H341 : Suspected of causing genetic defects.

H361f : Suspected of damaging fertility.

H372 : Causes damage to organs through prolonged or repeated exposure.

H410 : Very toxic to aquatic life with long lasting effects. Precautionary statements

¶ General : P102: Keep out of reach of children. P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

P201: Obtain special instructions before use.

¶ Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P260: Do not breathe dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

¶ Response : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P308+P313: If exposed or concerned : get medical advice. P391: Collect spillage.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P314: Get medical advice if you feel unwell.

¶ Storage : P405: Store locked up.

¶ Disposal considerations : P501: Dispose of this material and its container to hazardous

or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 3.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT

substance or vPvB substance according to Annex XIII of Regulation REACH.

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor.

Skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor.

Eye contact : Immediately call a POISON CENTER or doctor. Remove contact lenses,

if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Specific treatment (see on this label). Rinse mouth.

Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Suspected of causing genetic defects.

Causes damage to organs through prolonged or repeated exposure.

Fatal if swallowed. Causes severe skin burns and eye damage.

Causes serious eye damage. Suspected of damaging fertility.

### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person.

If exposed or concerned : get medical advice.

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

Thermal decomposition generates : Corrosive vapours.

### 5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment,

including respiratory protection. Special procedures : Exercise caution when fighting

any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection. Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters.

Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers.

Minimize generation of dust. Store away from other materials.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

### 7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Do not eat, drink or smoke

when using this product. Wash contaminated clothing before reuse.

Do not breathe dust, fume, gas, mist, vapours, spray.

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protective equipment as required.

Obtain special instructions before use.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place.

Keep container closed when not in use. Storage regulation : Comply with applicable

regulations. Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

Specific end use(s) : None.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

¶ Respiratory protection : Wear approved mask.

¶ Hand protection : Wear protective gloves.

¶ Skin protection : Wear suitable protective clothing.

¶ Eye protection : Chemical goggles or face shield.

¶ Others : When using, do not eat, drink or smoke.

### 8.2. Control parameters

Occupational Exposure Limits : No data available

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 277 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A

Boiling point [°C] : 302 °C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : 1 mm Hg @ 136.20C

Vapour density : 8,7

Density [g/cm3] : 5,4

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : 7.4g in 100g of water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 3.2

(0.2 M solution)

Viscosity at 40°C [mm2/s] : N/A

### 9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : N/A

Explosion limits - lower [%] : N/A

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

### 10.1. Reactivity

Reactivity : Not established.

### 10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

### 10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases

### . 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide.

Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

### 11.1. Information on toxicological effects

☐ Inhalation : Based on available data, the classification criteria are not met.

☐ Dermal : Based on available data, the classification criteria are not met.

☐ Ingestion : Fatal if swallowed. Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Suspected of causing genetic defects. Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Suspected of damaging fertility.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

### 12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

### 12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

### 12.4. Mobility in soil

Mobility in soil : Not established.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance

does not fulfil the criteria to be identified as PBT substance

or vPvB substance according to Annex XIII of Regulation REACH.

### 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

---

#### 14.1. Land transport (ADR-RID)

Proper shipping name : MERCURIC CHLORIDE

UN N° : 1624

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

ADR - Classification code : T5

ADR - Group : II

ADR - Packing instructions : P002

ADR - Limited Quantity : 500

G ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E.

Other carriage: Passage forbidden through tunnels of category E.

#### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : MERCURIC CHLORIDE

UN N° : 1624

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : II

IMO- IMDG - Packing instructions : P002

IMO-IMDG - Limited quantities : 500 g

IMO-IMDG - Marine pollution : Yes EMS-Nr : F-A S-A

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : MERCURIC CHLORIDE UN N° : 1624

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED -

Passenger and Cargo - Packing : 669

instruction - Passenger and Cargo - Maximum : 25 kg

Quantity/Packing

IATA - Cargo only : ALLOWED -

Cargo only - Packing instruction : 676 -

Cargo only - Maximum Quantity/ : 100 kg

Packing

IATA - Limited Quantites : 1 kg

ERG-Nr : 6L

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Further information : None. In accordance with REACH

Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS

was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied

, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may

be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or

expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is

to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.