1. Product and Company Identifaction

www.rxmarine.com

Product Name : Coal Stain Remover

Product Type : Cargo Hold and Tank Cleaner

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Mumbai, Kandla - Gnadhidham, Ennore - Chennai, Kolkata - Ennore, Fujairah, Oman

Phone : +91 22 27815541 / 42

Fax : +91 22 2781 1318 :::AOH :0091 9821214367

Email : <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

Chemica Name CAS # % BY WEIGHT

NaOCl 7681-52-9 40-50 Proprietory blend of Surfactant NA 60-40

3. Hazards Identification

www.rxmarine.com

Eye Can cause permanent eye injury. Symptoms include stinging, tearing, redness, and swelling of eyes. Can injure the cornea and cause blindness.

Skin

Can cause permanent skin damage. Symptoms may include redness, burning, and swelling of skin, burns, and other skin damage. Additional symptoms of skin contact may include: skin blistering, hair loss, Passage of this material into the body through the skin is possible, but it is unlikely that this would

result in harmful effects during safe handling and use.

Swallowing this material may be harmful or fatal. Symptoms may include

severe stomach and intestinal irritation (nausea, vomiting, diarrhea), abdominal pain, and vomiting of blood. Swallowing this material may cause burns and destroy tissue in the mouth, throat, and digestive tract. Low blood

pressure and shock may occur as a result of severe tissue injury.

Inhalation It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing this

material may be harmful or fatal. Symptoms may include severe irritation and

burns to the nose, throat, and respiratory tract.

Target Organ Effects

This material (or a component) has been shown to lower activity of certain

immune system cells in experimental animals. The significance of this effect

with respect to human health is uncertain.

Developmental Information There are no data available for assessing risk to the fetus from maternal

exposure to this material.

Primary Route(s) of Entry Inhalation, Skin contact, Eye contact.

4. First Aid Measures

www.rxmarine.com

Eyes

If material gets into the eyes, immediately flush eyes gently with water for at least 15 minutes while holding eyelids apart. If symptoms develop as a result of vapor xposure, immediately move individual away from exposure

and into fresh air before flushing as recommended above. Seek immediate

medical attention.

Skin Immediately flush skin with water for at least 15 minutes while removing

contaminated clothing and shoes. Seek immediate medical attention. Wash

clothing before reuse and discard contaminated shoes.

Swallowing Seek immediate medical attention. Do not induce vomiting. Vomiting will

cause further damage to the mouth and throat. If individual is conscious and alert, immediately rinse mouth with water and give milk or water to drink.

If possible, do not leave individual unattended.

Inhalation If symptoms develop, immediately move individual away from exposure and

into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is

difficult, administer oxygen.

Note to Physicians Prexisting disorders of the following organs (or organ systems) may be

aggravated by exposure to this material: skin, lung (for example, asthma-

like conditions), immune system.

5. Fire-fighting Measures

www.rxmarine.com

Flash Point Not applicable

Explosive Limit Not applicable
Autoignition Temperature No data

Hazardous Products of Combustion NA

Truzurdous Froducts of Combustion

Fire and Explosion Hazards

Extinguishing Media

Fire Fighting Instructions

No special fire hazards are known to be associated with this product.

Use an extinguishing media appropriate for surrounding fire..

Water may be used to keep fire-exposed containers cool until fire is out. self-contained breathing apparatus with a full facepiece operated in the pressure demand mode with appropriate turn-out gear and chemical personal protective equipment. Refer to the personal protective equipment

of this MSDS.

6. Accidental Release Measures

www.rxmarine.com

Small Spill

Large Spill

Dilute with water and absorb onto a noncombustible absorbent material.

Prevent run-off to sewers, streams or other bodies of water. If runoff occurs, notify proper authorities as required, that a spill has occurred. Collect and add slowly to large volume of water. Persons not wearing protective equipment should be excluded from area of spill until clean-up is completed. Stop spill at source. Dike to prevent spreading. Pump to salvage tank.

7. Handling and Storage

www.rxmarine.com

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Emergency eyewash fountains and safety showers should be available in the immediate vicinity of potential exposure

8. Exposure controls and personal protection

www.rxmarine.com

Eye Protection Chemical splash goggles and face shield (8" min.) in compliance with OSHA

egulations are advised; however, OSHA regulations also permit other type

safety glasses. (Consult your industrial hygienist.)

Skin Protection Wear impervious gloves (consult your safety equipment supplier). To prevent

skin contact, wear impervious clothing and boots..

Respiratory Protections If overexposure has been determined or documented, a NIOSH/MSHA

jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified conditions. (See your safety equipment supplier.) Engineering or administrative controls should be implemented to reduce

exposure.

Engineering Controls Provide sufficient mechanical (general and/or local exhaust) ventilation to

maintain exposure below level of overexposure (from known, suspected or

apparent adverse effects).

Exposure Guidelines Component

9. Physical and chemical properties

www.rxmarine.com

Boiling Point (for component) 212.0 F (100.0 C)
Vapor Pressure (for component) 17.500 mmHg

Specific Vapor Density

No data

Specific Gravity 1.220 - 1.250 @ 68.00 F

Liquid Density 10.400 lbs/gal @ 68.00 F 1.250 kg/l @

20.00 C

Percent Volatiles 87.5%

Evaporation Rate SLOWER THAN ETHYL ETHER

Appearance No data State LIQUID

Physical Form HOMOGENEOUS SOLUTION
Color CLEAR TO YELLOW LIQUID

Odor CHLORINATED
pH 11.5-12.50
Solubility in Water SOLUBLE

10. Stability and reactivity

www.rxmarine.com

Hazardous Polymerization

Product will not undergo hazardous polymerization.

- This article is considered stable under normal conditions
- Avoid overheating, Keep away from frost
- Incompatible with acid
- See Section 5

11. Toxicological information

www.rxmarine.com

Toxicological information Inhalation

No experimental data available.

Can cause damage to the respiratory system.

Contact with skin Causes burns (R35).
Contact with eyes Causes burns (R35).

Ingestion The ingestion of significant quantities may cause burning sensation. The ingestion of significant quantities may

digestive system.

Carcinogenicity No evidence of carcinogenic effects.

12. Ecological information

www.rxmarine.com

Ecotoxicity "In general, this cleaning agent main ingredients will either dissolve rapidly and dissociate in water or are

biodegradable." and Pollution Hazards approved this product for use as tank / hold cleaning agent by chemical tankers

Mobility Completely soluble in water

Persistence and Biodegradability Bioaccumulation Potential Its main ingredients will either dissolve rapidly and dissociate in water or are readily / inherently biodegradable.

Bioaccumulation of the components in this product is insignificant.

Other Adverse Effects

No environmental problems are expected when the product is used / handled correctly.

13. Disposal considerations

www.rxmarine.com

Waste Management Information Classification

Disposal considerations

14. Transport information

www.rxmarine.com

DOT Information 49 CFR 172.101

DOT Description:

Mixture HYPOCHLORITE
SOLUTIONS,8,UN1791,III

Container/Mode: 25 LTRS

NOS Component: Not applicable

RQ (Reportable Quantity) - 49 CFR 172.101

Product Quantity (lbs) Component

15. Regulatory information

www.rxmarine.com

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No

Reactivity: No (Mixture / Liquid)

Australian Hazchem Code: None allocated.

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR

16. Other information www.rxmarine.com

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.