

1. Product and Company Identification

www.rxmarine.com

Product Name Ethylene Oxide
Part Number RXSOL-60-1112-030

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400
Fax +91 22 27612100 ::AOH :0091 9821214367
Email mail@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Product name	Cas No	EC No	Weight	Formula
Ethylene oxide	75-21-8	200-849-9	44,05 g/mol	C ₂ H ₄ O

3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H220 Extremely flammable gas. H230 May react explosively even in the absence of air. H280 Contains gas under pressure; may explode if heated. H301 + H331 Toxic if swallowed or if inhaled. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Nervous system) through prolonged or repeated exposure.
Precautionary statements	P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe gas. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P410 + P403 Protect from sunlight. Store in a well-ventilated place
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice	First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
Eye Contact	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
Swallowed	If swallowed give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.
Skin Contact	In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability	No data available
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	No data available
Reference to other sections	For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Incompatible materials

Hygiene measures

Advice on safe handling

Conditions for safe storage including any incompatibilities

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

Keep away from open flames, hot surfaces and sources of ignition.

No data available

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

No data available

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Keep away from combustible materials and sources of ignition. Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): 2A: Gases

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

No data available

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

Engineering Control

Eye/face protection

Body Protection

Skin protection

Respiratory protection

Other Protection Measure

Personal protective equipment

No data available

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Flame retardant antistatic protective clothing.

No data available

Required when vapours/mists are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

No data available

9. Physical and chemical properties

www.rxmarine.com

Physical state

Colour

Odour

Odor Threshold

pH

Melting Point

Boiling Point

Flash Point

Evaporation Rate

Flammability (solid, gas)

Explosive limits

Upper/lower flammability or explosive limits

Autoignition temperature

Liquefied gas

Colorless

Ethereal, fruity

No data available

7,0 at 20 °C

-111 °C - lit.

10,7 °C - lit.

-20,0 °C - closed cup

No data available

Chemically unstable at 20 °C temperature and a standard pressure of 101.3 kPa

No data Available

Upper explosion limit 99 %(V) Lower explosion limit 3 %(V)

429,0 °C at 1.013 hPa

Decomposition temperature	No data available
Vapour pressure	1.456 hPa at 20 °C
Viscosity	No data available
Density	0,882 g/cm ³ at 25 °C - lit.
Relative Density	1,950 at 0 °C
Specific Gravity	No data available
Partition coefficient	log Pow: -0,3 at 25 °C - Bioaccumulation is not expected.
Explosive properties	No data available
Solubility	at 20 °C miscible in all proportions
Ignition temperature	No data available
Particle characteristics	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	No data available
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Violent reactions possible with: Oxidizing agents Alcohols Alkali metals Ammonia
Conditions to avoid	No data available
Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - 72,0 mg/kg Remarks: (RTECS) Acute toxicity estimate Oral - 72 mg/kg (Calculation method) LC50 Inhalation - Rat - male and female - 4 h - 2,76 mg/l - vapor (OECD Test Guideline 403) Acute toxicity estimate Inhalation - 2,76 mg/l - vapor (Calculation method)
Skin corrosion/irritation	Skin - Rabbit Result: Causes burns. Remarks: (ECHA) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitization	Maximization Test - Guinea pig negative (OECD Test Guideline 406) (in analogy to similar products) The value is given in analogy to the following substances: Methanol
Carcinogenicity	Presumed to have carcinogenic potential for humans
Germ cell mutagenicity	May cause genetic defects.
Reproductive toxicity	May damage the unborn child. May damage fertility.
Specific target organ toxicity - single exposure	Inhalation - May cause respiratory irritation. - Respiratory system Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) May cause drowsiness or dizziness. - Nervous system Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Additional Information	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: KX2450000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to large amounts can cause:, Convulsions To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 96 % - Readily biodegradable. (OECD Test Guideline 301C)
Toxicity to fish	Static test LC50 - Pimephales promelas (fathead minnow) - 84 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	Static test LC50 - Daphnia magna (Water flea) - 212 mg/l - 48 h (US-EPA)
Toxicity	No data available
Toxicity to bacteria	Static test EC50 - activated sludge - > 713 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to algae	Static test ErC50 - Pseudokirchneriella subcapitata - 240 mg/l - 96 h (US-EPA)
Bioaccumulation potential	Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

www.rxmarine.com

Product	Pressurised gas bottle: dispose of only in empty condition!
Contaminated packaging	No data available
Waste treatment Method	No data available

14. Transport information

www.rxmarine.com

UN number	ADR/RID:1040	IMDG:1040	IATA:1040
UN proper shipping name	ADR/RID:ETHYLENE OXIDE	IMDG:ETHYLENE OXIDE	IATA:ETHYLENE OXIDE
Transport hazard class(es)	ADR/RID:2.3 (2.1)	IMDG:2.3 (2.1)	IATA:2.3 (2.1)
Packaging group	ADR/RID:-	IMDG:-	IATA:-
Environmental hazards	ADR/RID:No	IMDG:No	IATA:No
Special precautions for user	Tunnel restriction code (B/D)		
Further information	No data available		

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work
Chemical Safety Assessment	A Chemical Safety Assessment was not carried out for this substance.

16. Other information

www.rxmarine.com

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied,
-------------------	--

with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.