### 1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Cumene Hydrogen Peroxide
Part Number RXSOL-60-1049-050

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Whight Formula Cumene hydroperoxide 80-15-9 201-254-7 152,19 g/mol  $C_9H_{12}O_2$ 

#### 3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H242 Heating may cause a fire. H302 + H312 Harmful if swallowed or in

contact with skin. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation. H350 May cause cancer. H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H411 Toxic to aquatic life with long lasting effects

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective

None

clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P370 + P378 In

case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Supplemental Hazard Statements

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

### 4. First Aid Measures

Other hazards

www.rxmarine.com

General advice First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Eye Contact

After eye contact rinse out with plenty of water. Immediately call in

After eye contact rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Swallowed After swallowing make victim drink water (two glasses at most), avoid

vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise

Skin Contact In case of skin contact Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Call a physician immediately

The most important known symptoms and effects are described in the

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire-fighting Measures

www.rxmarine.com

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture

Carbon oxides Mixture with combustible ingredients. Vapors are heavier

than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or

vapours possible in the event of fire.

Further information Remove container from danger zone and cool with water. Prevent fire

extinguishing water from contaminating surface water or the ground water

system.

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

#### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8

Environmental Precaution Do not let product enter drains.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up

affected area.

Reference to other sections For disposal see section 13.

## 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other organic peroxides only and away from sources of ignition and heat. Storage

stabilityRecommended storage temperature 2 - 8 °C

Storage class

Specific end use(s)

Storage class (TRGS 510) 5.2 Organic peroxides and self-reacting

hazardous materials

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

### 8. Exposure controls and personal protection

www.rxmarine.com

Eye/face protection

**Body Protection** 

Skin protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

protective clothing

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 240 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario

Required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Do not let product enter drains.

Respiratory protection

Control of environmental exposure

# 9. Physical and chemical properties

www.rxmarine.com

Physical state

Colour Odour Odor Threshold

Melting Point

**Boiling Point** 

Flash Point

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Autoignition temperature

Decomposition temperature

Vapour pressure Viscosity

Density

Liquid

No data available No data available No data available

4 - 10 at 200 g/l at 20 °C

2 - 3 °C - lit.

100 - 101 °C at 10 hPa - lit

79 °C

No data available No data available No data available

70 °C Self-Accelerating decomposition temperature (SADT)

0.5 hPa at  $55 \,^{\circ}\text{C} < 0.04 \text{ hPa}$  at  $20 \,^{\circ}\text{C}$ 

No data available 1,03 g/mL at 25 °C Relative Density
No data available
Partition coefficient
No data available
Explosive properties
No data available
Solubility
No data available
Particle characteristics
No data available

### 10. Stability and reactivity

www.rxmarine.com

Reactivity Forms explosive mixtures with air on intense heating. A range from

approx. 15 Kelvin below the flash point is to be rated as critical

Chemical stability Self-Accelerating decomposition temperature (SADT) 70°C The product

is chemically stable under standard ambient conditions (room

temperature)

Possibility of hazardous reactions

No data available

Conditions to avoid Do not expose to temperatures above 40°C Strong heating

Incompatible materials Powdered metals, Organic materials, Heavy metal salts, metal salts, Combustible material, Acids, Alkalis, Reducing agents, Rust, charcoal,

Amines, Copper, Lead, Cobalt/cobalt oxidesStrong oxidizing agents

Hazardous decomposition products In the event of fire: see section 5

### 11. Toxicological information

www.rxmarine.com

Acute toxicity Acute toxicity estimate Inhalation - 4 h - 3,69 mg/l - vapor(Calculation

method) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Acute toxicity estimate

Dermal - 1.310 mg/kg (Calculation method)

Skin corrosion/irritation Mixture causes burns

Serious eye damage/irritation Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization No data available

Carcinogenicity Possible carcinogen.

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Mixture may cause respiratory irritation.

Additional Information The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: MX2450000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. This substance should be handled with particular care. Handle in accordance with good industrial

hygiene and safety practice.

# 12. Ecological information

www.rxmarine.com

Persistence and degradability

No data available

Toxicity to fish Semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 3,9 mg/l -

96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - 18,84 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to bacteria Static test EC50 - activated sludge - > 2.000 mg/l - 3 h (OECD Test

Guideline 209)

Toxicity to algae Static test ErC50 - Desmodesmus subspicatus (green algae) - 3,1 mg/l - 72

h (OECD Test Guideline 201)

Mobility in soil

Results of PBT and vPvB assessment

Endocrine disrupting properties

Other adverse effects

No data available

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Assessment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No data available

### 13. Disposal considerations

www.rxmarine.com

www.rxmarine.com

IATA:ORGANIC PEROXIDE

TYPE F, LIQUID (CUMYL

HYDROPEROXIDE)

Waste treatment Method

No data available

## 14. Transport information

ADR/RID:3109 UN number

UN proper shipping name ADR/RID:ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL

HYDROPEROXIDE)

Tunnel restriction code (D)

ADR/RID:5.2 Transport hazard class(es) ADR/RID: Packaging group Environmental hazards ADR/RID:Yes

Special precautions for user

Further information

IMDG:3109 IATA:3109

IMDG:ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)

IMDG:5.2 IATA:5.2(8) IMDG: IATA: IMDG:Yes IATA:No

# 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. For this product a chemical safety assessment was not carried out

### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.