

## 1. Product and Company Identification

www.rxmarine.com

Product Name CHOLINE CHLORIDE  
Part Number RXSOL-19-3772-026

Company Details:....

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmraine.com](http://www.rxmraine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

### Substances

Synonyms (2-Hydroxyethyl)trimethylammonium chloride  
Formula  $C_5H_{14}ClNO$   
Molecular weight 139,62 g/mol  
CAS-No 67-48-1  
EC-No. 200-655-4

No components need to be disclosed according to the applicable regulations.

## 3. Hazards Identification

www.rxmarine.com

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Label elements No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 4. First Aid Measures

www.rxmarine.com

### Description of first aid measures

<b>If inhaled</b>	After inhalation: fresh air.
<b>In case of skin contact</b>	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower
<b>In case of eye contact</b>	After eye contact: rinse out with plenty of water. Remove contact lenses.
<b>If swallowed</b>	After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
<b>Most important symptoms and effects, both acute and delayed</b>	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
<b>Indication of any immediate medical attention and special treatment needed</b>	No data available

## 5. Fire-fighting Measures

www.rxmarine.com

### Extinguishing media

<b>Suitable extinguishing media</b>	Water Foam Carbon dioxide (CO2) Dry powder
<b>Unsuitable extinguishing media</b>	For this substance/mixture no limitations of extinguishing agents are given.
<b>Special hazards arising from the substance or mixture</b>	Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.  In a fire or if heated, a pressure increase will occur and the container may burst, with the  risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along  the ground. Vapors may accumulate in low or confined areas or travel a considerable  distance to a source of ignition and flash back.  Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.  In a fire or if heated, a pressure increase will occur and the container may burst, with the  risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along  the ground. Vapors may accumulate in low or confined areas or travel a considerable  distance to a source of ignition and flash back.  Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard.  In a fire or if heated, a pressure increase will occur and the container may burst, with the  risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along

the ground. Vapors may accumulate in low or confined areas or travel a considerable

distance to a source of ignition and flash back.

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen chloride gas

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### Advice for firefighters

#### Further information

In the event of fire, wear self-contained breathing apparatus.

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

spray to keep fire-exposed containers cool. Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Environmental precautions

For personal protection see section 8.

Methods and materials for containment and cleaning up

Do not let product enter drains.

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Recommended storage temperature see product label.

Recommended storage temperature see product label. Tightly closed.

Specific end use(s)

Recommended storage temperature see product label.

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### Control parameters

### Ingredients with workplace control parameters

### Exposure controls

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: [www.kcl.de](http://www.kcl.de)).

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet,

supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: [www.kcl.de](http://www.kcl.de)).

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

## Respiratory protection

Material tested:KCL 741 Dermatril® L

Required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following

standards: DIN EN 143, DIN 14387 and other accompanying standards relating to

the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory

protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Do not let product enter drains..

## Control of environmental exposure

# 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

## Information on basic physical and chemical properties

Physical state

Solid

Color

White

Odor

No data available

Melting point/freezing point

Melting point/range: 302 - 305 °C - dec.

Initial boiling point and boiling range

Ca.300 °C at ca.1.013 hPa - OECD Test Guideline 103

Flammability (solid, gas)

No data available

Upper/lower flammability or explosive limits

No data available

Flash point

Not applicable

Autoignition temperature

330 °C

Decomposition temperature

No data available

materials.Extremely flammable in the presence of the following materials or conditions: oxidizing

materials.

pH

5,0 - 6,5 at 140 g/l at 25 °C

Viscosity

Viscosity, kinematic: No data available

Viscosity, dynamic: 26,2 mPa.s at 20 °C - OECD Test Guideline

11414,1 m Pa. s at 40 °C - OECD Test Guideline 114

140 g/l

Log Pow: -3,77 at 25 °C - Bioaccumulation is not expected.

Water solubility

No data available

Partition coefficient: n-octanol/water

Vapor pressure

No data available

Density

No data available

Relative density

No data available

Relative vapor density

No data available

Particle characteristics

No data available

Explosive properties

No data available

Oxidizing properties

None

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)**Reactivity**

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

**Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

**Possibility of hazardous reactions**

Violent reactions possible with:

Strong oxidizing agents

Strong acids

Strong bases

**Conditions to avoid**

No information available

**Incompatible materials**

Strong acids

**Hazardous decomposition products**

In the event of fire: see section 5

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)**Information on toxicological effects****Acute toxicity**

LD50 Oral - Mouse - 3.900 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

Behavioral:Convulsions or effect on seizure threshold.

Respiratory disorder

(RTECS)

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 20 h

Remarks: (ECHA)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Micronucleus test

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate

No data available

No data available

No data available

No data available

No data available

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

**Aspiration hazard**

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Persistence and degradability

No data available

Toxicity to fish

Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products)

Toxicity

The value is given in analogy to the following substances: maleic acid

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h

Toxicity to bacteria

EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)

Toxicity to algae

Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid

Products Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

No data available

### 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
Contaminated packaging	Dispose of as unused product.
Waste treatment Method	See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	ADR/RID:2404 IMDG:2404 IATA: 2404
UN proper shipping name	ADR/RID:PROPIONITRILE IMDG:PROPIONITRILE IATA:PROPIONITRILE
Transport hazard class(es)	ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1)
Packaging group	ADR/RID: II IMDG: II IATA:II
Environmental hazards	ADR/RID: No IMDG: No IATA: No
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.

### 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

### 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Other Information	<p>The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.</p> <p><b>DISCLAIMER OF LIABILITY</b> :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or</p>
-------------------	---



---

disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable