1. Product and Company Identifaction

www.rxmarine.com

Product Name DIMETHYL CARBONATE
Part Number RXSOL-19-1124-026

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 2087 1500 :::AOH :0091 9821214367

Email <u>mail@rxmarine.com</u>

2. Composition / Information on ingredients

www.rxmarine.com

 Synonyms
 CAS
 EC number
 Weight %
 Index-No.
 Formula

 DMC
 616-38-6
 210-478-4
 90,08 g/mol
 607-013-00-6
 C3H6O3

3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapor

P280 Wear protective gloves.P305 + P351 + P338 Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Precautionary statements - response P210Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking P233Keep container tightly closed P240 Ground and bond container and receiving equipment. P241Use explosion-proof electrical/ ventilating/ lighting/ equipment P242 Use non-

sparking tools.P243Take action to prevent static discharges

Supplemental Hazard Statements Nor

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and bioaccumulative and toxic (PBT), or very

persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

4. First Aid Measures

www.rxmarine.com

General advice Show this material safety data sheet to the doctor in attendance.

If inhaled After inhalation: fresh air..

Eye Contact After eye contact: rinse out with plenty of water. Remove contact lenses.

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Get medical

attention immediately if symptoms occur.

Ingestion: Rinse mouth with water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Call a doctor or Poison Control Center

immediately.

Notes to Physician Treat symptomatically

If swallowed After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects, both acute and delaye labelling (see section 2.2) and/or in section 11

The most important known symptoms and effects are described in the

Indication of any immediate medical attention and special treatment No data available

needed

5. Fire-fighting Measures

Special hazards arising from the substance or mixture

www.rxmarine.com

Extinguishing media Suitable extinguishing media

Flammability NA Flash Point NA

Water Foam Carbon dioxide (CO2) Dry powder Suitable extinguishing media

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given

> Carbon oxides Combustible.Pay attention to flashback.Vapors are heavier than air and may spread along floors Development of hazardous combustion gases or vapours possible in the event of fire Forms explosive

mixtures with air at ambient temperatures.

Remove container from danger zone and cool with water. Prevent fire Further information

extinguishing water from contaminating surface water or the ground water

Hazardous combustion Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

products

Advice for firefighters In the event of fire, wear self-contained breathing apparatus.

Protective Equipment Use personal protective equipment.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an

expert For personal protection

Environmental Precaution Do not let product enter drains. Risk of explosion.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning

material restrictions (see sections 7 and 10). Take up with liquidabsorbent material (e.g. Chemizorb®). Dispose of properly. Clean up

affected area.

Reference to other sections For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition. Take precautionary.measures against static discharge

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge

Hygiene measures Change contaminated clothing. Wash hands after working with

substance For precautions see section 2.2 Precautions for safe handling Handling in a well ventilated place. Wear suitable protective clothing.

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in opened must be carefully resealed and kept upright to Storage class (TRGS 510):

Flammable liquids.

Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep Storage conditions

Storage class

Specific end use(s)

Handling

away from heat and sources of ignition Air sensitive.

Tightly closed. Dry

Storage class (TRGS 510): 3: Flammable liquids

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals

8. Exposure controls and personal protection

www.rxmarine.com

Occupational Exposure limit values

Biological limit values

Exposure controls

Engineering Control

Eye/face protection

Body Protection

Skin protection

Respiratory protection

Other Protection Measure Control of environmental exposure Thermal hazards





No data available

No data available

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday

at the end of workday.

Page

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace type of protective equipment must be selected type of protective equipment must be selected according to the concentration and amount of the

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 240 min Material tested:Butoject® (KCL 898)

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer These measures have to be properly documented

Handle in accordance with good industrial hygiene and safety practice.

Do not let product enter drains. Risk of explosion.

No data available

9. Physical and chemical properties

www.rxmarine.com

Physical state Liquid
Colour Colourless
Odour No data available

Melting point/freezing point Melting point/range: 2 - 4 °C - lit.

pH No data available

Melting Point Melting point/range: -78 °C - lit

90 °C - lit. Initial boiling point and boiling range **Boiling Point** No data available Flash Point 16 °C - closed cup **Evaporation Rate** Not Applicable Flammability (solid, gas) No data available Explosive limits No Data Available No data available Upper/lower flammability or explosive limits Autoignition temperature No data available

Decomposition temperature

No data available

Vapour pressure

No data available

No Data Available

Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 0,585 mPa.s

at 25 °C - OECD Test Guideline 114

Upper/lower flammability or explosive limits

Upper explosion limit: 12,87 %(V)

Lower explosion limit: 4,22 %(V)

Water solubility 114,7 g/l at 20 °C - OECD Test Guideline 105- completely soluble

Vapour pressure 24 hPa at 21,1 °C

Partition coefficient log Pow: 0,354 at 20 °C - Bioaccumulation is not expected

Auto-ignition emperature $300 \, ^{\circ}\text{C}$ Explosive properties None

Solubility DMSO (Slightly), Water (Slightly)

Ignition temperatureNo information available.Surface tension31,92 mN/m at $0 ^{\circ}\text{C}$ Relative vapor density3,11 - (Air = 1.0)

Density 1,069 g/cm3 at 25 °C - lit

Relative vapor density 3,11 - (Air = 1.0)Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity Vapors may form explosive mixture with air.

Stability The product is chemically stable under standard ambient conditions (room

temperature)

Possibility of hazardous reactions Reducing agents Oxidizing agents Acids Bases potassium tert-butanolate

Conditions to avoid Air Warming.

Incompatible materials rubber, various plastics, Strong oxidizing agents

Hazardous Polymerization In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity

LD50 Oral - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 401 LC50 Inhalation - Rat - male and female - 4 h - > 5,36 mg/l - vapor (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg Remarks: (ECHA) Skin corrosion/irritation Skin - Rabbit(Pentan-1-ol) Result: Skin irritation - 4 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation Remarks: (ECHA) Freund's complete adjuvant test - Guinea pig Result: negative (OECD Respiratory or skin sensitization Test Guideline 406) Serious eye damage/eye irritation No data available Rout Of Entry Inhalation. Ingestion. Toxicity to Animal WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE Acute oral toxicity (LD50): 689 mg/kg [Rat]. Toxic Effects on Human May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer). Germ cell mutagenicity Test Type: Chromosome aberration test in vitro Test system: lymphocyte Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test Species: Mouse Application Route: Oral Method: OECD Test Guideline 483

Result: negative

Test Type: Chromosome aberration test

Reproductive toxicity

Specific target organ toxicity - single exposure

Special Remarks on other Toxi Effects on Humans:

Additional Information

Species: Mouse No data available

No data available

Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon reexposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher RTECS: FG0450000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

12. Ecological information

www.rxmarine.com

Persistence and degradability

Toxicity to daphnia and other aquatic invertebrates

Bioaccumulative potential

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae

Eco Toxicity COD and BOD 5 Products Biodegradation:

Mobility in soil

Results of PBT and vPvB assessment

Endocrine disrupting properties

Assessment

Other adverse effects

aerobic - Exposure time 28 d Result: 86 % Readily biodegradable (OECD Test Guideline 301C)

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

No data available

static test LC50 - Danio rerio (zebra fish) - 530 mg/l - 96 h(Pentan-1-ol)

static test EC50 - Daphnia magna (Water flea) - 341.21 mg/l - 48

h(Pentan-1-ol)

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201) static test NOEC -Pseudokirchneriella subcapitata (green algae) - >= 100 mg/l - 72 h (OECD Test Guideline 201)

Not Available Not Available

No data available No data available

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or

2017/2100 Commission Delegated regulation (EU) Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

No data available

13. Disposal considerations

www.rxmarine.com

Waste treatment methods

No data available

14. Transport information

www.rxmarine.com

UN number ADR/RID: 1161

IMDG: 1161

IATA: 1161

UN proper shipping name ADR/RID: DIMETHYL CARBONATE

IMDG: DIMETHYL CARBONATE

IATA: Dimethyl carbonate

Transport hazard class(es) ADR/RID: 3

IMDG: 3

IATA: 3

ADR/RID: II Packaging group

IMDG: II

IATA: II

ADR/RID: No Environmental hazards

IMDG Marine pollutant: No

IATA: No

Special precautions for user Tunnel restriction code: (D/E)

Further information No data available

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of

substance or mixture

Safety, health and environmental regulations specific for the product in European Inventory of Existing Commercial Chemical Substances

question

(NZIoC)Listed. PICCS -Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed. Seveso III: Directive 2012/18/EU of the European: FLAMMABLE LIQUIDS Parliament and of the Council on the control of major-accident

(EINECS) -Listed.EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals

hazards involving dangerous substances.

Regulation (EC) No. 1907/2006.

DSCL (EEC)

National legislation

R8- Contact with combustible material may cause fire. R20/22- Harmful by inhalation and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R42/43- May cause sensitization by inhalation and skin contact. S22- Do not breathe dust. S24- Avoid contact with skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice. S37- Wear suitable gloves.

Other regulations Take note of Dir 94/33/EC on the protection of young people at work. Chemical Safety Assessment For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the

best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.