1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Dimethyl Disulfide DMDS
Part Number RXSOL-19-3751-220

Company Details:

synthesis

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Whight Formula Dimethyl disulfide for 624-92-0 210-871-0 94,20 g/mol $C_2H_6S_2$

3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H300 + H310 Fatal if swallowed or in contact with skin.

Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED:

Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008.

Supplemental Hazard Statements None

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

Eye Contact

www.rxmarine.com

General advice First aiders need to protect themselves. Show this material safety data

sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air, Immediately

inhaled After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

stops: immediately apply artificial respiration, if necessary also oxygen.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Remove contact lenses.

Swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not

available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Consult a physician.

Remove patient to fresh air, keep warm and at rest and get medical

assistance in necessary.

Ingestion Rinse mouth with water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Call a doctor or Poison Control Center

immediately.

Most important symptoms and effects, both acute and delaye The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment

needed

Skin Contact

Inhalation

No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability May be combustible at high temperature.

Water Foam Carbon dioxide (CO2) Dry powder Suitable extinguishing media

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture Carbon oxides Sulfur oxides Combustible. Fire may cause evolution of:

Sulfur oxides Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at

ambient temperatures

Further information Remove container from danger zone and cool with water. Suppress

(knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water

system.

Hazardous combustion Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment Use personal protective equipment.

Has a fire-promoting effect due to the release of oxygen. Specific Hazards Arising from the Chemical

Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Spillage

Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.

Personal Protection

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.

Environmental Precaution

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g. Chemizorb®). Dispose of properly. Clean up

affected area.

Reference to other sections

For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Incompatible materials

Hygiene measures

Advice on safe handling

Conditions for safe storage, including any incompatibilities

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510): 3: Flammable liquids

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

Engineering Control

Eye/face protection

Body Protection Skin protection

Respiratory protection

No specific additional engineering controls are required. Provide good natural or artificial ventilation.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Flame retardant antistatic protective clothing.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through 480 min Material tested:Butoject® (KCL 898) recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442,

Required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Other Protection Measure

Control of environmental exposure

Handle in accordance with good industrial hygiene and safety practice.

Prevent further leakage or spillage if safe to do so. Do not let product

enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state Liquid
Colour light yellow
Odour unpleasant
Odor Threshold Not Applicable
pH No data available

Melting Point -85 °C

Boiling Point ca.109 °C at 1.013 hPa
Flash Point 15 °C - closed cup
Evaporation Rate Not Applicable
Flammability (solid, gas) No data available
Explosive limits No Data Available
Upper/lower flammability or explosive limits No Data Available
Autoignition temperature No data available

Decomposition temperature 390 °C

Vapour pressure 30 hPa at 20 °C

Viscosity, kinematic: ca.0,594 mm2/s at ca.20 °C - OECD Test Guideline

114ca.0,495 mm2/s at ca.40 °C - OECD Test Guideline 114

Density1,06 g/cm3 at 20 °CRelative DensityNo data availableSpecific GravityNo data available

Partition coefficient log Pow: 1,91 at 20,6 °C Explosive properties No data available

Solubility 2,7 g/l at 20 °C

Ignition temperature No information available.

Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity No data available

Chemical stability The product is chemically stable under standard ambient conditions (room

temperature).

Possibility of hazardous reactions Violent reactions possible with: strong reducing agents strong alkalis

strong oxidising agents

Conditions to avoid Warming

Incompatible materials Strong acids, Strong bases, Strong oxidizing agents, Strong reducing

agents

Hazardous decomposition products In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity Acute toxicity estimate Oral - 190 mg/kg (Acute toxicity estimate

according to Regulation (EC) No. 1272/2008) Acute toxicity estimate Inhalation - 5 mg/l - vapor (Acute toxicity estimate according to Regulation (EC) No. 1272/2008) LD50 Dermal - Rat - male and female -

> 5.000 mg/kg (US-EPA)

Skin corrosion/irritation Skin - Rabbit Result: Mild skin irritation - 24 h

Serious eye damage/irritation Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization Local lymph node assay (LLNA) - Mouse Result: positive (OECD Test

Guideline 429)

Carcinogenicity No data available

Germ cell mutagenicity

No data available Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without

metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Reproductive toxicity No data available

Specific target organ toxicity - single exposure Inhalation - Causes damage to organs. - Upper respiratory tract May cause

drowsiness or dizziness

Additional Information RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system

depression To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

Persistence and degradability

No data available

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,97 mg/l

- 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - 1,82 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520

mg/l - 96 h

Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test

Guideline 209)

Toxicity to algae static test ErC50 - Anabaena flos-aquae (cyanobacterium) - 6,7 mg/l - 96

h (OECD Test Guideline 201) static test ErC50 - Skeletonema costatum

(marine diatom) - 3,9 mg/l - 96 h (OECD Test Guideline 201)

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available

Other adverse effects No data available.

13. Disposal considerations

www.rxmarine.com

Waste treatment Method No data available

14. Transport information

Packaging group Environmental hazards

Special precautions for user

www.rxmarine.com

UN number ADR/RID:2381 IMDG:2381 IATA: 2381

UN proper shipping name ADR/RID: DIMETHYL DISULPHIDE IMDG:DIMETHYL

DISULPHIDE IATA:DIMETHYL DISULPHIDE

Transport hazard class(es) ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA:3 (6.1)

ADR/RID: II IMDG: II IATA:II

ADR/RID: Yes IMDG: Yes IATA: No

No data available

Further information Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.