

1. Product and Company Identification

www.rxmarine.com

Product Name RXSOL-40-4160-050
Product Type RXFLOC 10

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat, Nairobi Kenya, Canada

Phone +91 22 27815540 / 41 / 42
Fax +91 22 2781 1318 :::AOH :0091 9821214367
Email 123@rxmarine.com
Website www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name of Substance	CAS Number	Weight
Anionic type polyelectrolyte in powder form	9003-05-8	60%
Non hazardous proprietary flocculants	-	40%

3. Hazards Identification

www.rxmarine.com

Colour: off-white
Appearance: Clear
State of matter: Powder
Odour: Characteristic Odour
Health: May cause mild eye irritation.
Physical/Chemical hazards: Slip hazard when wet.

Potential health effects

Primary routes of entry:

Skin, Eyes, Inhalation, Ingestion

4. First Aid Measures

www.rxmarine.com

Inhalation: Remove to fresh air, if not breathing give artificial respiration. If breathing is difficult, give oxygen and get immediate medical attention.

Skin: After contact with skin, wash immediately with plenty of water and soap. Get medical attention if irritation occurs. If clothing is contaminated, remove and launder before reuse.

Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion: Do not induce vomiting. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. Seek medical attention immediately.

5. Fire-fighting Measures

www.rxmarine.com

Flash point:

A flash point determination is unnecessary due to the high water content.

Autoignition:

350 °C

Lower explosion limit:

Not applicable

Flammability:

No data available.

Self-ignition temperature:

No data available.

Suitable extinguishing media:

Dry extinguishing media, foam

Unsuitable extinguishing media for safety reasons:

Water jet

Additional information:

If water is used, restrict pedestrian and vehicular traffic in areas where slip hazard may exist.

Hazards during fire-fighting:

Harmful vapours, carbon oxides, nitrogen oxides

Evolution of fumes/gases. The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

www.rxmarine.com

Cleanup: Product becomes slippery and difficult to handle when wet. Sweep up and shovel into suitable containers for disposal. Avoid raising dust. Wear suitable protective equipment. Should not be released into the environment.

Further information: Spills are very slippery. Restrict pedestrian and vehicular traffic in area of spill until spill is thoroughly cleaned up.

7. Handling and Storage

www.rxmarine.com

Handling: As with all industrial chemicals, use good industrial practices when handling. Avoid eye, skin, and clothing contact. Do not inhale. Do not taste or swallow. Use only with adequate ventilation.

Storage: Keep container tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls and personal protection

www.rxmarine.com

Engineering Controls: Work in well ventilated areas. Do not breathe dust. Personal protective equipment

Respiratory protection: Use NIOSH approved respirator as needed to mitigate exposure.

Eye protection: Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

Body protection: Wear chemical resistant gloves and protective clothing. Eye wash station and safety shower should be available in immediate work area.



Gloves Suit

9. Physical and chemical properties

www.rxmarine.com

Colour	:	Off-white
State of matter	:	Powder
Odour	:	Characteristic Odor
PH value	:	Not tested
Evaporation rate	:	Not tested
Flash point	:	Not applicable
Melting point	:	Not applicable
Boiling point	:	Not applicable
Vapour pressure	:	Not applicable
Bulk density	:	Approx. 750 kg/m3
Vapour density	:	Not applicable
Partitioning coefficient octanol water	:	Not applicable
Viscosity, dynamic	:	Not tested
% Volatiles	:	Not determined
Solubility in water	:	Soluble

10. Stability and reactivity

www.rxmarine.com

Stability: Stable .

Conditions to avoid: Avoid humidity. Avoid temperature extremes. Avoid electro-static discharge. Avoid sources of ignition.

Substances to avoid: strong oxidizing agents, Incompatible with liquid chlorine, Oxygen, sodium/calcium hypochlorite.

Possibility of Hazardous Reactions: No hazardous reactions known.

Hazardous decomposition products: No decomposition expected under normal storage conditions.

11. Toxicological information

www.rxmarine.com

Acute oral toxicity	:	LD50 / oral / rat: > 2,000 mg/kg By analogy
Acute inhalation toxicity	:	Not determined
Acute dermal toxicity	:	Not determined
Skin irritation	:	Not determined
Eye irritation	:	Not determined
Skin Sensitization	:	Not determined
Subacute Toxicity	:	Not determined
Subchronic Toxicity	:	Not determined
Chronic toxicity	:	Not determined
Genetic toxicity	:	Not expected to be mutagenic
Carcinogenicity	:	None of the components in this product at concentrations greater than 0.1%
Reproductive toxicity	:	No data for product. No effects anticipated
Develop toxicity	:	No data for product. No effects anticipated

12. Ecological information

www.rxmarine.com

Fish

Acute:

OECD 203; ISO 7346; 84/449/EEC, C.1 *Brachydanio rerio*/LC50 (96 h): > 100 mg/l

From tests on a product range

Aquatic invertebrates

Acute:

OECD Guideline 202, part 1 *Daphnia magna*/EC50 (48 h): > 100 mg/l

From tests on a product range

Aquatic plants

Toxicity to aquatic plants:

OECD Guideline 201 green algae/EC50 (72 h): > 100 mg/l

From tests on a product range

Microorganisms

Toxicity to microorganisms:

Bacterium/EC50 (24 h): > 100 mg/l

From tests on a product range

13. Disposal considerations

www.rxmarine.com

Waste disposal of substance: Dispose of in accordance with national, state and local regulations.

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261).

14. Transport information

www.rxmarine.com

NOTE:

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

Road transport:

Special shipping information: Not classified as a dangerous good .

Air transport:

Special shipping information: Not classified as a dangerous good .

International Air Transport Association (IATA)

Special shipping information: Not classified as a dangerous good under transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Special shipping information: Not classified as a dangerous good under transport regulations.

15. Regulatory information

www.rxmarine.com

United States - Regulations

SARA Section 311/312 Hazard Communication Standard:

Acute Health: N Fire: N

Chronic Health: N Reactivity: N

Sudden release of pressure: N

SARA Section 313 Toxic Chemical List: This product does not contain any components reportable under Sec 313 (40 CFR 372).

OSHA hazard category: This material is classified as not hazardous under OSHA regulations.

Toxic Substances Control Act (TSCA) Section 5(f): This product is not subject to a Section 5(f)/6(a) rule.

Toxic Substances Control Act (TSCA) Section 12(b) Export Notification: No components listed.

Clean Air Act 602 - Ozone Depleting Substances (ODS): This product neither contains, nor was manufactured with, a Class I or Class II ozone

depleting substance (ODS), as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A+B).

Clean Water Act - Priority Pollutants (PP): This product does not contain any priority pollutants listed under the U.S. Clean Water Act Section 307(2)(1) Priority Pollutant List (40 CFR 401.15).

16. Other information

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall RX Marine International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RX Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.