### 1. Product and Company Identifaction

www.rxmarine.com

Product Name : RXSOL-40-3025-025

Product Type : SODIUM HYPO CHLORITE

Material Identity

Product Name: SODIUM HYPOCHLORITE

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

STOCK Point: Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat, Kenya, Canada

Phone : +91 22 27815541 / 42

Fax : +91 22 2781 1318 :::AOH :0091 9821214367

Email:mail@rxmarine.comWebsite:www.rxmarine.com

### 2. Composition / Information on ingredients

www.rxmarine.com

 Chemical Name
 CAS #
 % BY WEIGHT

 WATER
 7732-18-5
 88.0-92.0

 SODIUM HYPOCHLORITE
 7681-52-9
 8.0-12.0

#### 3. Hazards Identification

www.rxmarine.com

Eye Can cause permanent eye in jury. Symptoms include stinging, tearing,

redness, and swelling of eyes. Can injure the cornea and cause

blindness.

Skin Can cause permanent skin damage. Symptoms may include

redness, burning, and swelling of skin, burns, and other skin damage. Additional symptoms of skin contact may include: skin blistering, hair loss, Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects

during safe handling and use.

Swallowing Swallowing this material may be harmful or fatal. Symptoms may include

severe stomach and intestinal irritation (nausea, vomiting, diarrhea), abdominal pain, and vomiting of blood. Swallowing this material may cause burns and destroy tissue in the mouth, throat, and digestive tract. Low blood pressure and shock may occur as a result of severe tissue

injury.

Inhalation It is possible to breathe this material under certain conditions of

handling and use (for example, during heating, spraying, or stirring). Breathing this material may be harmful or fatal. Symptoms may include severe irritation and burns to the nose, throat, and respiratory tract.

Symptoms of Exposure Signs and symptoms of exposure to this material through

breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) cough, tight feeling in the chest, difficult breathing, lung edema (fluid buildup in the lung tissue), lung damage, shock, coma, and death.

Target Organ Effects This material (or a component) has been shown to lower activity

of certain immune system cells in experimental animals.

The significance of this effect with respect to human health

is uncertain.

Developmental Information There are no data available for assessing risk to the fetus from maternal

exposure to this material.

Cancer Information Based on the available information, this material cannot be classified with

regard to carcinogenicity. This material is not listed as a carcinogen by the International Agency for Research on Cancer, the National Toxicology Program, or the Occupational Safety and Health

Administration.

Other Health Effects When combined with an acid or ammonia, sodium hypochlorite

may produce chlorine or chloramine gas, respectively. Inhalation of these gases results in coughing, choking, difficult breathing, and other symptoms of respiratory tract irritation. Fluid may collect in the lung

tissue following a severe gas exposure.

Primary Route(s) of Entry Inhalation, Skin contact, Eye contact.

Signal word Danger

Hazard statement(s) H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

Precautionary statement(s) P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements None Other hazards None

#### 4. First Aid Measures

www.rxmarine.com

Eyes If material gets into the eyes, immediately flush eyes gently with water

for at least 15 minutes while holding eyelids apart. If symptoms develop as a result of vapor exposure, immediately move individual away from exposure and into fresh air before flushing as recommended above.

Seek immediate medical attention.

Skin Immediately flush skin with water for at least 15 minutes while removing

contaminated clothing and shoes. Seek immediate medical attention.

Wash clothing before reuse and discard contaminated shoes.

Swallowing Seek immediate medical attention. Do not induce vomiting. Vomiting

will cause further damage to the mouth and throat. If individual is conscious and alert, immediately rinse mouth with water and give milk or

water to drink. If possible, do not leave individual unattended.

Inhalation If symptoms develop, immediately move individual away from exposure

and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If

breathing is difficult, administer oxygen.

Note to Physicians Preexisting disorders of the following organs (or organ systems) may be

aggravated by exposure to this material: skin, lung (for example, asthma-

like conditions), immune system.

# 5. Fire-fighting Measures

www.rxmarine.com

Flash Point Not applicable Explosive Limit Not applicable

Autoignition Temperature No data

Hazardous Products of Combustion May form: chlorine

Fire and Explosion Hazards No special fire hazards are known to be associated with this

product.

Extinguishing Media

Fire Fighting Instructions

Use an extinguishing media appropriate for surrounding fire..

Water may be used to keep fire-exposed containers cool until fire is out. Wear a self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment. section of this MSDS.

Health - 3, Flammability - 0, Reactivity - 1

NFPA Rating

#### 6. Accidental Release Measures

www.rxmarine.com

Small Spill Large Spill Dilute with water and absorb onto a noncombustible absorbent material. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred. Collect and add slowly to large volume of water. Persons not wearing protective equipment should be excluded from area of spill until cleanup is completed. Stop spill at source. Dike to prevent spreading. Pump to salvage tank.

### 7. Handling and Storage

www.rxmarine.com

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Emergency eyewash fountains and safety showers should be available in the immediate vicinity of potential exposure

# 8. Exposure controls and personal protection

www.rxmarine.com

Eye Protection

Skin Protection

Respiratory Protections

**Engineering Controls** 

Exposure Guidelines WATER (7732-18-5) SODIUM HYPOCHLORITE (7681-52-9) Chemical splash goggles and face shield (8" min.) in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. (Consult your industrial hygienist.)

Wear impervious gloves (consult your safety equipment supplier). To prevent skin contact, wear impervious clothing and boots..

If overexposure has been determined or documented, a NIOSH/MSHA jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified conditions. (See your safety equipment supplier.) Engineering or administrative controls should be implemented to reduce exposure.

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure (from known,

suspected or apparent adverse effects).

Component

No exposure limits established No exposure limits established

# 9. Physical and chemical properties

www.rxmarine.com

Boiling Point (for component) 212.0 F (100.0 C) Vapor Pressure (for component) 17.500 mmHg

Specific Vapor Density No data

Specific Gravity 1.220 - 1.250 @ 68.00 F

Liquid Density 10.400 lbs/gal @ 68.00 F 1.250 kg/l @ 20.00

C

Percent Volatiles 87.5%

Evaporation Rate SLOWER THAN ETHYL ETHER

Appearance No data
State LIQUID

Physical Form HOMOGENEOUS SOLUTION
Color CLEAR TO YELLOW LIQUID
Odor CHLORINATED BLEACH ODOR

pH 13.5

Solubility in Water SOLUBLE

### 10. Stability and reactivity

www.rxmarine.com

Hazardous Polymerization Product will not undergo hazardous

polymerization.

### 11. Toxicological information

www.rxmarine.com

No data

### 12. Ecological information

www.rxmarine.com

No data

## 13. Disposal considerations

www.rxmarine.com

Waste Management Information Dispose of in accordance with all applicable

local, state and federal regulations.

### 14. Transport information

www.rxmarine.com

DOT Information - 49 CFR 172.101

DOT Description: HYPOCHLORITE

SOLUTIONS,8,UN1791,III

Container/Mode: 55 GAL DRUM/TRUCK PACKAGE

NOS Component:

RQ (Reportable Quantity)

Product Quantity (lbs)

Not applicable
- 49 CFR 172.101

Component

### 15. Regulatory information

www.rxmarine.com

ngrediciti 15CA EC Japan Austrani

Sodium Hypochlorite (as NaOCl) (7681-52-9) Yes Yes Yes Yes

Water (7732-18-5)	Yes Yes Yes Yes
\Chemical Inventory Statu	s - Part 2\ Canada
Ingredient	Korea DSL NDSL Phil.
	) (7681-52-9) Yes Yes No Yes
Water (7732-18-5)	Yes Yes No Yes
	onal Regulations - Part 1\A 302SARA 313
Ingredient R	Q TPQ List Chemical Catg.
Sodium Hypochlorite (as NaOCl Water (7732-18-5)	
\Federal, State & Internati	onal Regulations - Part 2\
Ingredient C	ERCLA 261.33 8(d)
Sodium Hypochlorite (as NaOCl (7681-52-9)	
Water (7732-18-5)	No No No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No

Reactivity: No (Mixture / Liquid)

Australian Hazchem Code: None allocated.

Poison Schedule: S5

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR

#### 16. Other information

www.rxmarine.com

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.