

1. Product and Company Identification

www.rxmarine.com

Product Name ADHESIVE REMOVER GEL BREAK
Product Type **RXSOL-41-8730-025**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999
Fax +91 22 2781 1318
Email 123@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

PRINCIPLE HAZARDOUS INGREDIENTS:	TLV	OSHA PEL
Glycol Ether DB (CAS # 112-34-5)	N/E	N/E
DeLimonene (CAS # 5989-27-5)	N/E	N/E

3. Hazards Identification

www.rxmarine.com

Route of Entry: Eye, skin contact, ingestion.

Potential Health Effects:

Eye Contact: May cause severe irritation to eyes.

Skin Contact: May cause irritation upon repeated/ prolonged contact. Repeated contact causes defatting of the skin.

Inhalation: May cause nose, throat and respiratory tract irritation. Aspiration hazard: breathing product into the lungs during ingestion or vomiting may cause lung injury or death.

Ingestion: May cause irritation to mouth, esophagus and stomach. May cause gastric tract disorder and/or damage.

chronic Effects

Carcinogenicity: No ingredients listed IARC or NTP or ACGIC. .

Teratogenicity, The ingredients in this product were found not to be mutagenic

Mutagenicity, when tested by the Ames Assay, (OECD Guidelines for

Reproductive Effects: chemical testing, sec.471).

Skin: Repeated or prolonged exposures to dilutions can cause drying,defatting and dermatitis.

4. First Aid Measures

www.rxmarine.com

Eye Contact: Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If irritation persists, repeat flushing and obtain medical attention immediately.

Skin Contact :Immediately flush with water for 15 minutes. Seek medical attention if irritation persists. Remove contaminated clothing and launder before reuse.

Inhalation:Move victim to fresh air. If conscious, have victim take deep, slow breaths. Seek medical attention if symptoms persist.

Ingestion:DO NOT INDUCE VOMITING. Rinse mouth with water, then drink one glass of water. Seek medical attention. Do not give anything to victim if unconscious or convulsing.

5. Fire-fighting Measures

www.rxmarine.com

Flammability: Combustible.

Flash Point deg (C,TCC) : 104oF

Means of Extinction: As appropriate for surrounding fire. Use water, dry chemical, carbon dioxide or foam.

Special Fire Hazards: Fire fighters should wear self-contained breathing apparatus. Autoignition

temperature:Not applicable.

Flame propagation or

burning rate of solid:Not applicable.

Sensitivity to static

discharge: Not applicable.

Unusual Fire and

Explosion Hazards.None expected. As per surrounding fire.

Hazardous decomposition

products: Oxides of carbon, oxides of nitrogen.

6. Accidental Release Measures

www.rxmarine.com

Leak and Spill Procedures:

Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide diking to prevent spreading.

7. Handling and Storage

www.rxmarine.com

Storage Requirements:

KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible materials which include acids, oxidizing materials, reducing sugars and Ammonia Salts.

Storage temperature 0° C Ambient to 30° C (must be stored above 0° C at all times).

Transport temperature 0° C Ambient to 30° C (must be stored above 0° C at all times).

Keep container closed. Handle and open container with care. Store in a well ventilated place away from incompatible materials. Do not store near open flame or any potential sources of ignition.

Do not reuse empty containers.

8. Exposure controls and personal protection

www.rxmarine.com

Gloves: Impervious protective gloves.

Eye Protection: Chemical splash goggles.

Respiratory Protection: Not normally required if good ventilation is maintained. If mist is generated during application process, use disposable mist applicator.

Other Protective Equipment:

As required by employer code. Eye bath, safety shower, protective clothing.

Engineering Controls: General ventilation normally required. If ventilation practices are not adequate for minimizing exposure, additional ventilation or exhaust systems may be required.

9. Physical and chemical properties

www.rxmarine.com

Boiling Point	N/E	Specific Gravity	7.65	Evaporation	similar
(deg C)		pound/gal		Rate (water=1):	
% Volatile					
(Wt%):					