1. Product and Company Identifaction

RXSOL-13-1096-025 Product Name Product Type **RUST & STAIN REMOVER**

Company Details:

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Phone Fax Email

2. Composition / Information on ingredients

Surfactant High Polar compound mixture, Phosphoric Acid and Linear alkyl detergent remaining which is not in the list of hazardous materials .

3. Hazards Identification

Odour	Odourless
Appearance	Liquid, pale yellow, soluble in water
Contact with eyes	Can cause damage to the eyes
Contact with skin	Causes burns (R34)
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract, Can cause damage to the lungs
Ingestion	The ingestion of significant quantities may cause damage to digestive syste

4. First Aid Measures

After inhalation medical attention require
In case of contact with skin , wash immediately with plenty of water and soap Remove contaminated clothes.
Flush with running water for at least 15 minutes Immediately medical attention require.
Seek medical attention, try to drink more plenty of fresh water.

5. Fire-fighting Measures

Non combustible product

Suitable	Not known, on direct exposure to heat dangrous emission of gas of COx SOx can be released
Not suitable	Not suitable
Special	Not applicable
Protection of fire Fighter	Not applicable
Precaution for fire-fighters	Wear protective equipment with breathing apparatus.

6. Accidental Release Measures

Enviromental precaution	Direct flow into drainage system, surface or ground water is prohibited. First of all neutralize with alkaline m
	powder for pH balancing between 6-10.
Cleaning Method	Flush Spill Area with Water and avoid contact with skin and eye.

www.rxmarine.com

+91 22 65113333 +91 22 65113333 / 5555 / 9999 / 27611360 +91 22 2781 1318 +91 22 2781 1318 ::::AOH :0091 9821214367 009 mail@rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

7. Handling and Storage

Condition	to	Avoid
Materials	to	Avoid
Handling		

Non flammable but avoid direct heating Do not subject to ALKALINE medium. Keep Container Tightly Closed

NOTE : Eyewash facilities require at workplace The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutaliser . For example if pH is less than 6 basic neutraliser is req- uired and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website www.rxmarine.com

Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSOL.)

8. Exposure controls and personal protection

Personal protection:

Respiratory System Protection Approved respirator must be worn when spraying Eye Protection Strictly wear eye protection Hand protection wear PVC chemical resistance protective gloves

9. Physical and chemical properties

Appearance	Clear brownish liquid
Density	g/cm3 at 15°C: 1.5
pH	10% solution 1.5-2.5
Flash Point	Not applicable
Compatibility	
Metal	Concentrate and long touch may corrode.
Rubber	No known effect

10. Stability and reactivity

Hazardous Decomposition Products Do not occur if stored and used as directed. In FIRE combustion CO, CO2, NH3, SOX etc hazardous gas produced.

NOTE : Avoid Contact With Alkaline Subjects

11. Toxicological information

Skin Irritation Cause severe irritation Cause severe irritation Eye Irritat Cause severe irritation Cause Sensitizing Sensitization Chronic Toxicity Not Identified Carcinogencity No

12. Ecological information

RXSOL-13-1011 is degradable, and due to highly acidic in nature must be neutralized as per guidance and ingridents used in it. Direct contact is Harmful to aquatic organism.

13. Disposal considerations

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article..

biodegradability etc.)

14. Transport information		www.rxmarine.com
Transport over land ADR/RID	1805 8/11c 8/11c	
Transport over inland waterways ADN/ADNR		
Transport over sea IMDG	8	
Transport by air ICAO/IATA	8/1805	
Phosphoric acid		
sea	EMS 8-08, MFAG 700 PG III	

www.rxmarine.com

www.rxmarine.com

15. Regulatory information

Classification and labelling according to 4. Novelle Gefahrstoff-Verordnung Symbols of danger C Corrosive Ingredients Phosphoric acid R-phrases R34 : Cause burns S-phrases S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45 : In case of feel unwell, seek medical advice immediately National prescriptions 2 (self classification on the basis of component assessments or analogy conclusions without addition/subtraction of poor

16. Other information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.