# 1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Aluminium Cleaner
Part Number RXSOL-16-1028-025

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

# 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Classification

PHOSPHORIC ACID ...% 7664-38-2 231-633-2 Skin Corr. 1B - H314 C;R34 Eye

Dam. 1 - H318

HYDROFLUORIC ACID ...% : 7664-39-3 231-634-8 Skin Corr. 1A - H314

T+;R26/27/28 C;R35 Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute

Tox. 2 - H330

### 3. Hazards Identification

www.rxmarine.com

Signal Word Dange

Hazard Statements H300 + H310 Fatal if swallowed or in contact with skin.

Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED:

Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008.

Supplemental Hazard Statements None

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 4. First Aid Measures

www.rxmarine.com

General advice Consult a physician. Show this material safety data sheet to the doctor in

attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician.

Eye Contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get

medical attention immediately. Continue to rinse.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Remove contaminated clothing immediately and wash skin with soap and

water. Get medical attention immediately.

Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. Get medical attention.

Ingestion Rinse nose, mouth and throat with water. Do not induce vomiting. Get

medical attention immediately. Give milk instead of water if readily

available.

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment

needed

Swallowed

Skin Contact

Inhalation

No data available

# 5. Fire-fighting Measures

Special hazards arising from the substance or mixture

Suitable extinguishing media

Further information

products

Spillage

**Environmental Precaution** 

Methods and materials for

containment and cleaning

Hazardous combustion

Advice for firefighters Protective Equipment

Unsuitable extinguishing media

www.rxmarine.com

Flammability May be combustible at high temperature.

Use fire-extinguishing media suitable for the surrounding fire.

Do NOT use water jet.

Carbon oxides Nitrogen oxides (NOx) Combustible.

Use water spray to cool unopened containers.

Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO).

Ammonia or amines. Fluorides.

Wear self-contained breathing apparatus for firefighting if necessary.

Use personal protective equipment.

Has a fire-promoting effect due to the release of oxygen.

Ambient fire may liberate hazardous vapours.

#### 6. Accidental Release Measures

Specific Hazards Arising from the Chemical

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Use suitable respiratory protection if ventilation is inadequate. Take care as floors and other surfaces may become slippery.

other surfaces may become suppery.

Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition

sources. Call for assistance on disposal.

Personal Protection Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate

the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.

Do not discharge into drains or watercourses or onto the ground.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section

13).

Reference to other sections Wear protective clothing as described in Section 8 of this safety data

sheet

# 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to

prevent the build up of electrostatic charge.

Incompatible materials Keep away from alkalis, strong oxidizing agents and metals. Provide

containment walls of adequate capacity to hold any accidental spills.

Hygiene measures Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. For precautions see section 2.2.

Advice on safe handling Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Conditions for safe storage, including any incompatibilities Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in

an area accessible only to qualified or authorized persons. Moisture

sensitive.

Storage conditions Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright

to prevent leakage. Store in cool place.

Storage class Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Advice on general occupational hygiene Advice on safe handling Observe label precautions. Change contaminated

clothing. Wash hands after working with substance.

# 8. Exposure controls and personal protection

www.rxmarine.com

PHOSPHORIC ACID ...% Long-term exposure limit (8-hour TWA): WEL 1 mg/m3 Short-term

exposure limit (15-minute): WEL 2 mg/m3

HYDROFLUORIC ACID ...% Long-term exposure limit (8-hour TWA): WEL 1.8 ppm 1.5 mg/m3 Short-

term exposure limit (15-minute): WEL 3 ppm 2.5 mg/m3 WEL =

Workplace Exposure Limit

Engineering controls Provide adequate ventilation.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Wear protective gloves made of the following material: Rubber (natural,

latex). Neoprene. Polyvinyl chloride (PVC).

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Wash contaminated clothing before reuse. Change work clothing daily

before leaving workplace.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

# 9. Physical and chemical properties

Hygiene measures

www.rxmarine.com

Physical state Liquid
Colour Colorless
Odour Mild.

Odor Threshold Not Applicable

pH (diluted solution): 1.0

No data available Melting Point **Boiling Point** No data available Flash Point No data available **Evaporation Rate** Not Applicable Flammability (solid, gas) No data available Explosive limits No Data Available Upper/lower flammability or explosive limits No data available Autoignition temperature No data available Decomposition temperature No data available Vapour pressure No data available Viscosity No data available No data available Density Relative Density 1.07 @ 25°C Specific Gravity No data available

Partition coefficient No data available
Explosive properties No data available
Solubility No data available

Ignition temperature No information available.

Particle characteristics No data available

# 10. Stability and reactivity

www.rxmarine.com

Reactivity Reactions with the following materials may generate heat: Alkalis.

Chemical stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous reactions No data available

Conditions to avoid Reacts with alkalis and generates heat.

Incompatible materials Strong acids, Strong bases, Strong oxidizing agents, Strong reducing

agents

Hazardous decomposition products Thermal decomposition or combustion products may include the

following substances: Carbon monoxide (CO). Carbon dioxide (CO2).

Fluorides. Ammonia or amines.

# 11. Toxicological information

www.rxmarine.com

Acute toxicity LC50, 96 hours: 5.6 mg/l, Onchorhynchus mykiss (Rainbow trout)

Skin corrosion/irritation Skin - Rabbit Result: Mild skin irritation - 24 h
Serious eye damage/irritation Eyes - Rabbit Result: Moderate eye irritation - 24 h

Respiratory or skin sensitization No data available
Carcinogenicity No data available
Germ cell mutagenicity No data available
Reproductive toxicity No data available

Additional Information RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system

No data available

depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. Ecological information

Specific target organ toxicity - single exposure

www.rxmarine.com

Persistence and degradability No data available

Toxicity to fish

Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Static test EC50 - Daphnia magna (Water flea) - 42,81 mg/l - 48 h

(OECD Test Guideline 202) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: maleic acid

Toxicity Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520

mg/l - 96 h

Toxicity to bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000

mg/l Remarks: (Lit.) (maximum permissible toxic concentration)

Toxicity to algae Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 74,35 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar

products) The value is given in analogy to the following substances:

maleic acid

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available
Other adverse effects No data available .

## 13. Disposal considerations

www.rxmarine.com

Waste treatment Method

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

www.rxmarine.com

UN number ADR/RID:2922 IMDG:2922 IATA: 2922

UN proper shipping name ADR/RID:CORROSIVE LIQUID, TOXIC, N.O.S. (hydrofluoric acid)

IMDG:CORROSIVE LIQUID, TOXIC, N.O.S. (hydrofluoric acid) IATA:CORROSIVE LIQUID, TOXIC, N.O.S. (hydrofluoric acid)

Transport hazard class(es) ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA:8 (6.1)

Packaging group ADR/RID: II IMDG: II IATA:II
Environmental hazards ADR/RID: No IMDG: No IATA: No

Special precautions for user No data available

Further information Not classified as dangerous in the meaning of transport regulations.

# 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the

substance or mixture

Other regulations

Chemical Safety Assessment

Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

#### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product,

this MSDS information may not be applicable.