

1. Product and Company Identification

www.rxmarine.com

Product Name

RXSOL-60-6605-208

Product Type

PETROLEUM ETHER 60- 800C AR

Revised date

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone

+91 22 27815541 / 42

Fax

+91 22 2781 1318 ::AOH :0091 9821214367

Email

mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

2.1. Substances : PETROLEUM ETHER 60-80°C

AR CAS-No. : 8032-32-4

Substance.

Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Skin corrosion/irritation, H315

Category 2

Reproductive toxicity, H361

Category 2

Specific target organ toxicity ⓘ Single exposure, H336

Category 3,

Narcosis Specific target organ toxicity ⓘ Repeated exposure, H373

Category 2

Aspiration hazard, H304

Category 1

Hazardous to the aquatic

environment ⓘ Chronic

H411

Hazard, Category 2

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Adverse physicochemical, human health and environmental effects

No additional information available

3.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to

displayExtra classification(s) to display

Symbol(s) : N : Dangerous for the environment

Xn: Harmful

Highly flammable

R Phrase(s) : R11: Highly flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated Exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s) : S9: keep container in a well ventilated place.

S16: Keep away from source of ignition-No smoking.

S23: Do not breath gas/fumes/vapour/spray (Appropriate wording to be specified by the manufacturer).

S24: Avoid contact with skin.

S33: Take precautionary measures against static discharges.

S61: avoid release to the environment . refer to special instruction/safety data sheets.

S62: if swallowed, do not induce vomiting ; seek medical advice immediately and show this container or label.

Hazard pictograms

Signal word : Danger

Hazard statements : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H361 - Suspected of damaging fertility or the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure

. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing vapours, gas, fume, dust.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor.

P331 - Do NOT induce vomiting.

3.3. Other hazards

No additional information available

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/ . Wash contaminated clothing before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause genetic defects. May cause cancer. Causes damage to organs.

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available.

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : 10

Melting point : No data available

Freezing point : No data available

Boiling point : 60 - 80 °C

Flash point : -26 °C

Auto-ignition temperature : 288 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour.

Vapour pressure : No data available

Relative vapour density at 20 °C : 2.5

Relative density : No data available

Density : 0.66 - 0.68 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks. High temperature.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

12. Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

Product/Packaging disposal

Recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

14. Transport information

www.rxmarine.com

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1268

UN-No. (IMDG) : 1268

UN-No. (IATA) : 1268

UN-No. (ADN) : 1268

UN-No. (RID) : 1268

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PETROLEUM DISTILLATES, N.O.S.

Proper Shipping Name (IMDG) : PETROLEUM DISTILLATES, N.O.S.

Proper Shipping Name (IATA) : Petroleum distillates, n.o.s.

Proper Shipping Name (ADN) : PETROLEUM DISTILLATES, N.O.S.

Proper Shipping Name (RID) : PETROLEUM DISTILLATES, N.O.S.

Transport document description (ADR) : UN 1268 PETROLEUM DISTILLATES,

N.O.S., 3, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1268 PETROLEUM DISTILLATES,

N.O.S., 3, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1268 Petroleum distillates, n.o.s., 3, II,

ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 1268 PETROLEUM DISTILLATES, N.O.S., 3,

II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 1268 PETROLEUM DISTILLATES,

N.O.S., 3, II, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR- Transport hazard class(es) (ADR) : 3

Danger labels (ADR) : 3

IMDG- Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3

IATA- Transport hazard class(es) (IATA) : 3

Hazard labels (IATA) : 3

AND- Transport hazard class(es) (ADN) : 3

Danger labels (ADN) : 3

RID- Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3

14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport- Classification code (ADR) : F1

Special provisions (ADR) : 640C, 664

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP8, TP28

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage ☐ Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :

Tunnel restriction code (ADR) : D/E

EAC code : 3YE

Transport by sea- Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-E

Stowage category (IMDG) : B

Properties and observations (IMDG) : Immiscible with water.

MFAG-No : 128

Air transport- PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y341

PCA limited quantity max net quantity (IATA) : 1L

PCA packing instructions (IATA) : 353

PCA max net quantity (IATA) : 5L

CAO packing instructions (IATA) : 364

CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3

ERG code (IATA) : 3H

Inland waterway transport- Classification code (ADN) : F1

Special provisions (ADN) : 640C

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport- Classification code (RID) : F1

Special provisions (RID) : 640C

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions (RID) : TP1, TP8, TP28

Tank codes for RID tanks (RID) : L1.5BN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE7

Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PETROLEUM ETHER 60-80°C is not on the REACH Candidate List

PETROLEUM ETHER 60-80°C is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water

(Classification according to AwSV; ID No. 9162)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : PETROLEUM ETHER 60-80°C Extra Pure is listed

SZW-lijst van mutagene stoffen : PETROLEUM ETHER 60-80°C Extra Pure is listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐ Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐ Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen ☐ Ontwikkeling : The substance is not listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.