## 1. Product and Company Identifaction

www.rxmarine.com

Porduct Name LITHIUM CHLORIDE
Part Number RXSOL-60-6601-026

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

# 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Whight Formula Lithium chloride for 7447-41-8 231-212-3 42,39 g/mol LiCl

analysis EMSURE® ACS,Reag. Ph Eur

### 3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H300 + H310 Fatal if swallowed or in contact with skin.

Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED:

gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008.

Supplemental Hazard Statements None

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

### 4. First Aid Measures

www.rxmarine.com

General advice Show this material safety data sheet to the doctor in attendance.

If inhaled After inhalation: fresh air.

Eye Contact After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Remove contact lenses

Swallowed After swallowing: immediately make victim drink water (two glasses at

most). Consult a physician

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Inhalation Remove patient to fresh air, keep warm and at rest and get medical

assistance in necessary.

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center

immediately.

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment

needed

Ingestion

No data available

## 5. Fire-fighting Measures

www.rxmarine.com

Flammability May be combustible at high temperature.

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture Hydrogen chloride gas Lithium oxides Not combustible. Fire may cause

evolution of: Hydrogen chloride gas Ambient fire may liberate hazardous

Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent

fire extinguishing water from contaminating surface water or the ground

Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

water system.

Hazardous combustion

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment Use personal protective equipment.

Specific Hazards Arising from the Chemical Has a fire-promoting effect due to the release of oxygen.

Ambient fire may liberate hazardous vapours.

### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection

see section 8.

Spillage Oxidizing material. Stop leak if without risk. Avoid contact with a

combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition

sources. Call for assistance on disposal.

Personal Protection Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice

for emergency responders: Protective equipment see section 8.

**Environmental Precaution** Do not let product enter drains.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts

Reference to other sections For disposal see section 13.

# 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to

prevent the build up of electrostatic charge.

Keep away from alkalis, strong oxidizing agents and metals. Provide

Incompatible materials

Hygiene measures

Advice on safe handling

Conditions for safe storage, including any incompatibilities

Storage conditions

Storage class

Specific end use(s)

Advice on general occupational hygiene

containment walls of adequate capacity to hold any accidental spills.

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. For precautions see section 2.2.

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.

Tightly closed. Dry. Recommended storage temperature see product label.

Storage class (TRGS 510): 13: Non Combustible Solids

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

## 8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

**Engineering Control** 

Eye/face protection

Body Protection Skin protection

Respiratory protection

Other Protection Measure Control of environmental exposure No specific additional engineering controls are required. Provide good natural or artificial ventilation.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

protective clothing

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Handle in accordance with good industrial hygiene and safety practice. Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. Physical and chemical properties

www.rxmarine.com

Physical state solid
Colour Colorless
Odour odorless
Odor Threshold Not Applicable

pН

Melting Point

608,52 °C - OECD Test Guideline 102

ca.6 at 50 g/l at 20 °C

**Boiling Point** 1.360 °C at 1.013 hPa Flash Point 6 °C - closed cup **Evaporation Rate** Not Applicable Flammability (solid, gas) No data available Explosive limits No Data Available No data available Upper/lower flammability or explosive limits Autoignition temperature No data available Decomposition temperature No data available 1,33 hPa at 547 °C Vapour pressure Viscosity No data available 2,07 g/cm3 at 20 °C Density Relative Density No data available Specific Gravity No data available Partition coefficient No data available Explosive properties No data available No data available Solubility

Ignition temperature No information available.
Particle characteristics No data available

### 10. Stability and reactivity

www.rxmarine.com

Reactivity No data available

Chemical stability The product is chemically stable under standard ambient conditions (room

temperature).

Possibility of hazardous reactions

No data available

Conditions to avoid no information available
Incompatible materials no information available

Hazardous decomposition products

In the event of fire: see section 5

# 11. Toxicological information

www.rxmarine.com

Acute toxicity LD50 Oral - Rat - male - 526 mg/kg Remarks: (ECHA) LC50 Inhalation -

Rat - male and female - 4 h - > 5,57 mg/l - dust/mist (OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation Skin - Rabbit Result: Severe skin irritation - 24 h Remarks: (RTECS)

Serious eye damage/irritation Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization Buehler Test - Guinea pig Result: Not a skin sensitizer. (OECD Test

Guideline 406)

Carcinogenicity No data available

Germ cell mutagenicity Test Type: Ames test Test system: Escherichia coli/Salmonella

typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Lithium hydroxideTest Type: In vitro mammalian cell gene

mutation test

Reproductive toxicity No data available

Specific target organ toxicity - single exposure

No data available

Additional Information RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system

depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. Ecological information

www.rxmarine.com

Persistence and degradability The methods for determining the biological degradability are not

applicable to inorganic substances.

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 158 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 249 mg/l - 48 h (OECD

Test Guideline 202)

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520

mg/l - 96 h

Toxicity to bacteria static test EC50 - activated sludge - 320,05 mg/l - 3 h (OECD Test

Guideline 209) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 400 mg/l -

72 h (OECD Test Guideline 201)

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available
Other adverse effects No data available .

### 13. Disposal considerations

www.rxmarine.com

Product See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions.

## 14. Transport information

www.rxmarine.com

UN number ADR/RID: IMDG: IATA:
UN proper shipping name ADR/RID: IMDG: IATA:
Transport hazard class(es) ADR/RID: IMDG: IATA:
Packaging group ADR/RID: IMDG: IATA:

Environmental hazards ADR/RID: No IMDG: No IATA: No

Special precautions for user No data available

Further information Not classified as dangerous in the meaning of transport regulations.

### 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the

substance or mixture

Other regulations

Chemical Safety Assessment

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

For this product a chemical safety assessment was not carried out

### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.