1. Product and Company Identifaction

www.rxmarine.com

Porduct Name POTASSIUM PERMANGANATE

Part Number RXSOL-60-6605-999

Company Details:

RX MARINE INTERNATIONAL 105, A wing, BSEL, TECH PARK. VASHI, NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

Email mail@rxmarine.com Website www.rxmraine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name Cas No EC No Whight Formula Potassium permanganate for 7722-64-7 231-760-3 158,03 g/mol KMnO₄

analysis **EMSURE®**

ACS, Reag. Ph Eur

3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H314 Causes severe skin burns and eye damage. H361d Suspected of

damaging the unborn child

Precautionary statements P260 Do not breathe dust. P280 Wear protective gloves/ protective

clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON

SKIN (or hair): Take off immediately all contaminated

Classification of the substance or mixture Not a hazardous substance or mixture according to Regulation (EC) No

1272/2008.

None

Supplemental Hazard Statements

Other hazards This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice First aiders need to protect themselves. Show this material safety data

sheet to the doctor in attendance.

If inhaled After inhalation: fresh air. Call in physician.

Eye Contact After eye contact: rinse out with plenty of water. Immediately call in

ophthalmologist. Remove contact lenses.

Swallowed After swallowing: make victim drink water (two glasses at most), avoid

vomiting (risk of perforation). Call a physician immediately. Do not

attempt to neutralise.

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower. Call a physician immediately

Inhalation Remove patient to fresh air, keep warm and at rest and get medical

assistance in necessary.

Ingestion Rinse mouth with water. Do not induce vomiting. Never give anything by

mouth to an unconscious person. Call a doctor or Poison Control Center

immediately.

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

5. Fire-fighting Measures

www.rxmarine.com

Flammability May be combustible at high temperature.

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are

given.

Special hazards arising from the substance or mixture

Potassium oxides Manganese/manganese oxides Not combustible. Has a

fire-promoting effect due to release of oxygen. Ambient fire may liberate

hazardous vapours.

Further information Prevent fire extinguishing water from contaminating surface water or the

ground water system.

Hazardous combustion Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment Use personal protective equipment.

Specific Hazards Arising from the Chemical Has a fire-promoting effect due to the release of oxygen.

Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection

see section 8

Spillage Oxidizing material. Stop leak if without risk. Avoid contact with a

combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition

sources. Call for assistance on disposal.

Personal Protection Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice

for emergency responders: Protective equipment see section 8.

Environmental Precaution Do not let product enter drains.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible containment and cleaning material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Incompatible materials

Keep away from open flames, hot surfaces and sources of ignition.

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For

precautions see section 2.2.

Advice on safe handling

Conditions for safe storage, including any incompatibilities

an area accessible only to qualified or authorized persons. Moisture Tightly closed. Do not store near combustible materials. Recommended

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in

Storage conditions

Specific end use(s)

storage temperature see product label.

Work under hood. Do not inhale substance/mixture.

Storage class Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

Advice on general occupational hygiene

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls

Engineering Control

Eye/face protection

Body Protection

Skin protection

Respiratory protection

Other Protection Measure

Control of environmental exposure

No specific additional engineering controls are required. Provide good natural or artificial ventilation.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

protective clothing

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L

Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Handle in accordance with good industrial hygiene and safety practice.

Do not let product enter drains.

9. Physical and chemical properties

www.rxmarine.com

Physical state solid Colour violet

Odour No data available Odor Threshold Not Applicable No data available Melting Point No data available

Boiling Point No data available Flash Point No data available Not Applicable **Evaporation Rate** Flammability (solid, gas) No data available Explosive limits No Data Available Upper/lower flammability or explosive limits No data available Autoignition temperature No data available Decomposition temperature No data available Vapour pressure No data available Viscosity No data available 2,70 g/cm3 at 20 °C Density Relative Density No data available Specific Gravity No data available Partition coefficient No data available Explosive properties No data available No data available Solubility Ignition temperature No information available.

Ignition temperature No information available
Particle characteristics No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity No data available

Chemical stability The product is chemically stable under standard ambient conditions (room

temperature).

Possibility of hazardous reactions

No data available

Conditions to avoid No information available

Incompatible materials No data available

Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity LD50 Oral - Rat - 750 mg/kg Remarks: (RTECS) Inhalation: No data

available LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation Skin - Rabbit Result: Corrosive after 4 hours or less of exposure (OECD Test Guideline 404)

Serious eye damage/irritation Remarks: Causes serious eye damage.

Respiratory or skin sensitization Maximization Test - Guinea pig Result: negative (OECD Test Guideline

406)

Carcinogenicity No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro

Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: In vivo micronucleus test Species: Rat Cell type: Bone marrow Application

Route: Oral Method: OECD Test Guideline 474 Result: negative

Reproductive toxicity Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure Inhalation - May cause damage to organs through prolonged or repeated

exposure. - Brain

Additional Information RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system depression To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

12. Ecological information

www.rxmarine.com

The methods for determining the biological degradability are not Persistence and degradability

applicable to inorganic substances.

Toxicity to fish semi-static test LC50 - Poecilia reticulata (guppy) - 0,47 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - 0,06 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 Toxicity

mg/l - 96 h

Toxicity to bacteria static test EC50 - activated sludge - 164 mg/l - 180 min (OECD Test

Guideline 209)

static test ErC50 - Desmodesmus subspicatus (green algae) - 0,8 mg/l - 72 Toxicity to algae

h (OECD Test Guideline 201) static test NOEC - Desmodesmus subspicatus (green algae) - 0,32 mg/l - 72 h (OECD Test Guideline 201)

Products Biodegradation The methods for determining the biological degradability are not

applicable to inorganic substances.

Mobility in soil No data available

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties No data available Other adverse effects No data available.

13. Disposal considerations

www.rxmarine.com

Waste treatment Method No data available

14. Transport information

www.rxmarine.com

UN number ADR/RID:1490 IMDG:1490 IATA: 1490

ADR/RID:POTASSIUM PERMANGANATE IMDG:POTASSIUM UN proper shipping name

PERMANGANATE IATA: POTASSIUM PERMANGANATE

Transport hazard class(es) ADR/RID: 5.1 IMDG:5.1 IATA:5.1 Packaging group ADR/RID: II IMDG: II IATA:II ADR/RID: No IMDG: No IATA: No Environmental hazards

Special precautions for user No data available

Further information Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of

substance or mixture

Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment For this product a chemical safety assessment was not carried out

16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the

best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.