

## 1. Product and Company Identification

www.rxmarine.com

Product Name XYLENE AR  
Part Number RXSOL-60-6609-025

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400  
Fax +91 22 27612100 ::AOH :0091 9821214367  
Email [mail@rxmarine.com](mailto:mail@rxmarine.com)  
Website [www.rxmarine.com](http://www.rxmarine.com)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	Cas No	EC No	Weight	Formula
Xylenes	1330-20-7	215-535-7	106,17 g/mol	C <sub>8</sub> H <sub>10</sub>

## 3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H312 + H332 Harmful in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H373 May cause damage to organs (Central nervous system, Liver, Kidney) through prolonged or repeated exposure if inhaled. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P331 Do NOT induce vomiting.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## 4. First Aid Measures

www.rxmarine.com

General advice	Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation fresh air.
Eye Contact	Rinse out with plenty of water. Remove contact lenses
Swallowed	Make victim drink water (two glasses at most). Consult doctor if feeling

Skin Contact	unwell. In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

## 5. Fire-fighting Measures

www.rxmarine.com

Flammability	No data available
Suitable extinguishing media	Carbon dioxide (CO2) Foam Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

## 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area
Reference to other sections	For disposal see section 13

## 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Incompatible materials	No data available
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Advice on safe handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols

Conditions for safe storage, including any incompatibilities	No data available
Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.
Storage class	Storage class (TRGS 510) 3 Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	No data available

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Exposure controls	Personal protective equipment
Engineering Control	No data available
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Flame retardant antistatic protective clothing.
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested: Butoject® (KCL 898)
Respiratory protection	Recommended Filter type: Filter A-(P2) The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	No data available

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Physical state	liquid
Colour	Colorless
Odour	No data available
Odor Threshold	No data available
pH	at 20 °C neutral
Melting Point	-94 - 13,2 °C at 1.013 hPa
Boiling Point	137 - 140 °C - lit
Flash Point	25 °C - closed cup
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Upper/lower flammability or explosive limits	Upper explosion limit 7,0 %(V) Lower explosion limit 1,1 %(V)
Autoignition temperature	463 °C at 1.013 hPa
Decomposition temperature	No data available
Vapour pressure	23,99 hPa at 37,70 °C
Viscosity	Dynamic 0,76 mPa.s at 25,00 °C

Density	0,86 g/mL at 25 °C - lit
Relative Density	No data available
Specific Gravity	No data available
Partition coefficient	Log Pow 3,12 at 20 °C - Bioaccumulation is not expected.
Explosive properties	No data available
Solubility	0,1705 g/l at 25 °C - partly soluble
Ignition temperature	No data available
Particle characteristics	No data available

## 10. Stability and reactivity

www.rxmarine.com

Reactivity	Vapor/air-mixtures are explosive at intense warming.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Exothermic reaction with: Strong oxidizing agents Acids sulfur conc. sulfuric acid Risk of explosion/exothermic reaction with: Nitric acid uranium hexafluoride
Conditions to avoid	Heating.
Incompatible materials	No data available
Hazardous product decomposition	In the event of fire: see section 5

## 11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - male - 3.523 mg/kg (EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)) (ECHA) LC50 Inhalation - Rat - male - 4 h - 29,09 mg/l - vapor (Regulation (EC) No. 440/2008, Annex, B.2) (Regulation (EC) No 1272/2008, Annex VI) LD50 Dermal - Rabbit - > 1.700 mg/kg (RTECS)
Skin corrosion/irritation	Skin - Rabbit Result: Moderate skin irritation - 24 h (IUCLID) Drying-out effect resulting in rough and chapped skin. After long-term exposure to the chemical: Dermatitis
Serious eye damage/irritation	Eyes - Rabbit Causes serious eye irritation. - 24 h (RTECS)
Respiratory or skin sensitization	Local lymph node assay (LLNA) - Mouse negative (OECD Test Guideline 429)
Carcinogenicity	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.
Germ cell mutagenicity	Test Type Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.10 Result: negative Remarks: (National Toxicology Program) Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.19 Result negative Test Type: dominant lethal test Species: Mouse Method: OECD Test Guideline 478
Reproductive toxicity	No data available
Specific target organ toxicity- single exposure	May cause respiratory irritation. - Respiratory system
Additional Information	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 150 mg/kg - LOAEL (Lowest observed adverse effect level) - 150 mg/kg Blurred vision, Incoordination., Headache, Nausea, Vomiting, Dizziness, Weakness, anemia, Prolonged or repeated exposure to skin causes defatting and dermatitis. To the best of our

knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption: Systemic effects: Headache somnolence Dizziness agitation, spasms narcosis inebriation Effect potentiated by: ethanol Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 94 % - Readily biodegradable. (OECD Test Guideline 301F)
Toxicity to fish	Static test LC50 - Oncorhynchus mykiss (rainbow trout) - 2,60 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	NOEC - Ceriodaphnia dubia (water flea) - 0,96 mg/l - 7 d (US-EPA)
Toxicity	No data available
Toxicity to bacteria	(ECHA) (Xylene
Toxicity to algae	Static test EC50 - Pseudokirchneriella subcapitata - 4,36 mg/l - 73 h (OECD Test Guideline 201)
Bioaccumulation potential	Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 56 d at 10 °C - 1,3 mg/l(Xylene) Bioconcentration factor (BCF): 7,4 - 18,5
Mobility in soil	No data available
Results of PBT av PvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Product	See <a href="http://www.retrologistik.com">www.retrologistik.com</a> for processes regarding the return of chemicals and containers, or contact us there if you have further questions
Contaminated packaging	No data available
Waste treatment Method	No data available

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	ADR/RID:1307 IMDG:1307 IATA:1307
UN proper shipping name	ADR/RID:XYLENES IMDG:XYLENES IATA:XYLENES
Transport hazard classess	ADR/RID: 3 IMDG:3 IATA:3
Packaging group	ADR/RID:III IMDG:III IATA:III
Environmental hazards	ADR/RID:No MDG Marine pollutant:No IATA: No
Special precautions for user	Tunnel restriction code (D/E)
Further information	No data available

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

### Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.