## 1. Product and Company Identifaction

www.rxmarine.com

Porduct Name Bio- methanol
Part Number RXSOL-60-2105-025

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

Branch: Kandla, Mumbai, Chennai, Vizag, Kolkata, UAE, OMAN, CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 :::AOH :0091 9821214367

 Email
 mail@rxmarine.com

 Website
 www.rxmraine.com

## 2. Composition / Information on ingredients

www.rxmarine.com

Product name Cas No EC No Weight Formula Bio-Methanol (Gas-to- 67-56-1 200-659-6 32,04 g/mol CH<sub>4</sub>O

Liquid) for synthesis

Precautionary statements

#### 3. Hazards Identification

www.rxmarine.com

Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapor. H301 + H311 + H331 Toxic if

swallowed, in contact with skin or if inhaled. H370 Causes damage to

organs (Eyes, Central nervous system).

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER/ doctor.

Classification of the substance or mixture

No data available

Other hazards This substance/mixture contains no components considered to be either

No data available

persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 4. First Aid Measures

Supplemental Hazard Statements

www.rxmarine.com

General advice First aiders need to protect themselves. Show this material safety data

sheet to the doctor in attendance

If inhaled fresh air. Immediately call in physician. If breathing stops: immediately

apply artificial respiration, if necessary also oxygen.

Eye Contact After eye contact: rinse out with plenty of water. Remove contact lenses.

Swallowed Fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40%

alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic

beverage/kg body weight/hour).

Skin Contact In case of skin contact: Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

Inhalation No data available
Ingestion No data available

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment No data available

needed

## 5. Fire-fighting Measures

Special hazards arising from the substance or mixture

www.rxmarine.com

Flammability No data available

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive

mixtures with air at ambient temperatures.

Further information Remove container from danger zone and cool with water. Prevent fire

extinguishing water from contaminating surface water or the ground water

system.

Hazardous combustion No data available

products

Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent

skin contact by keeping a safe distance or by wearing suitable protective

clothing.

Protective Equipment No data available
Specific Hazards Arising from the Chemical No data available

#### 6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For

personal protection see section 8.

Spillage No data available
Personal Protection No data available

Environmental Precaution Do not let product enter drains. Risk of explosion.

Methods and materials for Cover drains. Collect, bind, and pump off spills. Observe possible

containment and cleaning material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections For disposal see section 13.

## 7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Incompatible materials

No data available

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of

vapours/aerosols No data available

Conditions for safe storage including any incompatibilities

Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep

away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Recommended storage

temperature see product label

Storage class (TRGS 510) 3 Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

Advice on general occupational hygiene No data available

#### 8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls Personal protective equipment

Engineering Control No data available

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

glasses

Body Protection Flame retardant antistatic protective clothing

Skin protection This recommendation applies only to the product stated in the safety data

sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material butyl-rubber Minimum layer thickness 0,7 mm Break through time 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet www.kcl.de). Splash contact Material: Viton® Minimum layer thickness 0,7 mm Break through time:

Material: Viton® Minimum layer thickness 0,7 mm Break through time: 120 min Material tested Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Respiratory protection Required when vapours/aerosols are generated. Our recommendations on

filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter typeFilter type AXThe entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

instructions of the producer. These measures have to be properly

documented.

Other Protection Measure No data available

## 9. Physical and chemical properties

www.rxmarine.com

Physical state Liquid
Colour Colorless

Odour Odorless

Odor Threshold No data available pH No data available

Melting Point -97,8 °C - (ECHA)

Boiling Point 64,7 °C at 1.013 hPa - (ECHA

Flash Point 9,7 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9

Evaporation Rate No data available Flammability (solid, gas) No data available Explosive limits No data Available

Upper/lower flammability or explosive limits

Upper explosion limit 44 %(V) Lower explosion limit5,5 %(V)

Autoignition temperature 455,0 °C at 1.013 hPa - DIN 51794

Decomposition temperature No data available Vapour pressure 169,27 hPa at 25 °C

Viscosity Kinematic0,54 - 0,59 mm2/s at 20 °C dynamic > 0,544 - < 0,59 mPa.s at

25°

Density 0,79 g/cm3 at 20 °C
Relative Density 0,79 - 0,8 at 20 °C
Specific Gravity No data available

Partition coefficient Log Pow -0,77 - (Lit.), Bioaccumulation is not expected.

Explosive properties No data available

Solubility 1.000 g/l at 20 °C - completely miscibleat 20 °C soluble

Ignition temperature No data available
Particle characteristics No data available

## 10. Stability and reactivity

www.rxmarine.com

Reactivity

Chemical stability

Possibility of hazardous reactions

Conditions to avoid Incompatible materials

Hazardous decomposition products

Vapors may form explosive mixture with air

The product is chemically stable under standard ambient conditions (room temperature)

Risk of explosion with Oxidizing agents perchloric acid perchlorates salts of oxyhalogenic acids chromium(VI) oxide halogen oxides nitrogen oxides nonmetallic oxides chromosulfuric acid chlorates hydrides zinc diethyl halogens powdered magnesium hydrogen peroxide Nitric acid sulfuric acid permanganic acid sodium hypochlorite Exothermic reaction with acid halides Acid anhydrides Reducing agents acids Bromine Chlorine Chloroform magnesium tetrachloromethane Risk of ignition or formation of inflammable gases or vapours with Fluorine Millipore-8.48335 Page 9 of 15 The life science business of Merck operates as MilliporeSigma in the US and Canada Oxides of phosphorus Raneynickel Generates dangerous gases or fumes in contact with: Alkaline earth metals Alkali metals

Warming.

Various plastics, magnesium, zinc alloys

In the event of fire: see section 5

# 11. Toxicological information

www.rxmarine.com

Acute toxicity

Skin corrosion/irritation

Serious eye damage/irritation Respiratory or skin sensitization Acute toxicity estimate Oral - 100,1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute toxicity estimate Oral - 100,1 mg/kg (Expert judgment) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor(Expert judgment) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor (Expert judgment) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms Irritation symptoms in the respiratory tract. Acute toxicity estimate Dermal - 300,1 mg/kg (Expert judgment) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute toxicity estimate Dermal - 300,1 mg/kg (Expert judgment) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin - Rabbit Result No skin irritation (ECHA) Drying-out effect resulting in rough and chapped skin

Eyes - Rabbit Result No eye irritation (ECHA)

Sensitisation test - Guinea pig Result negative (OECD Test Guideline 406)

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Additional Information

Did not show carcinogenic effects in animal experiment

Based on available data the classification criteria are not met. Test Type Ames test Test system Salmonella typhimurium Metabolic activation: with and without metabolic activation Method OECD Test Guideline 471 Result: negative Test Type In vitro mammalian cell gene mutation test Test system Chinese hamster lung cells Metabolic activation with and without metabolic activation Method OECD Test Guideline 476 Result negative Test Type: Micronucleus test Species Mouse Cell type Bone marrow Application Route Intraperitoneal injection Method OECD Test Guideline 474 Result negative

Based on available data the classification criteria are not met

Causes damage to organs. - Eyes, Central nervous system Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Acute effects:, Headache, Dizziness, Drowsiness, narcosis, Blindness, Impairment of vision, irritant effects, Nausea, Vomiting, agitation, spasms, inebriation, Coma Drying-out effect resulting in rough and chapped skin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: acidosis drop in blood pressure agitation, spasms inebriation Dizziness Drowsiness Headache Impairment of vision Blindness narcosis Coma Symptoms may be delayed. Damage to Liver Kidney Cardiac Irreversible damage of the optical nerve. Other dangerous properties can not be excluded. This substance should be handled with particular care

# 12. Ecological information

www.rxmarine.com

Persistence and degradability

Toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

Toxicity

Toxicity to bacteria

Toxicity to algae

Products Biodegradation

Mobility in soil

Results of PBT and vPvB assessment

Endocrine disrupting properties

Other adverse effects

Biodegradability Result 99 % - Readily biodegradable. (OECD Test Guideline 301D) Biochemical Oxygen Demand (BOD) 600 - 1.120 mg/g (IUCLID) Chemical Oxygen Demand (COD) 1.420 mg/g Remarks: (IUCLID) Theoretical oxygen demand 1.500 mg/g (Lit.) Ratio BOD/ThBOD 76 % Closed Bottle test(IUCLID)

Flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15.400,0 mg/l - 96 h (US-EPA)

Semi-static test EC50 - Daphnia magna (Water flea) - 18.260 mg/l - 96 h (OECD Test Guideline 202)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia similis (Water flea) - > 100 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)

Static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

Static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22.000,0 mg/l - 96 h (OECD Test Guideline 201)

No data available

Will not adsorb on soil.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Additional ecological information Avoid release to the environment. Stability in water at 19 °C83 - 91 % - 72 h Hydrolyzes on contact with water.Hydrolyzes readily. - 2,2 yr reaction with hydroxyl radicals(IUCLID)

## 13. Disposal considerations

www.rxmarine.com

Product See www.retrologistik.com for processes regarding the return of

chemicals and containers, or contact us there if you have further

questions

Contaminated packaging No data available Waste treatment Method No data available

#### 14. Transport information

www.rxmarine.com

UN number

UN proper shipping name Transport hazard class(es)

Packaging group

Environmental hazards

Special precautions for user

Further information

ADR/RID: 1230 IMDG: 1230 IATA:1230

ADR/RID:METHANOL IMDG:METHANOL IATA:METHANOL

ADR/RID:3 (6.1) IMDG:3 (6.1) IATA: 3 (6.1)

ADR/RID:ll IMDG:ll IATA:ll

ADR/RID:No IMDG Marine pollutant: No IATA: No

Tunnel restriction code (D/E)

No data available

#### 15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of substance or mixture

Other regulations

Chemical Safety Assessment

Regulation (EC) No. 1907/2006.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.

A Chemical Safety Assessment has been carried out for this substance.

#### 16. Other information

www.rxmarine.com

Other Information

The information above is believed to be accurate and represents the best information currently to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense

arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.