1. Product and Company Identifaction

www.rxmarine.com

| Porduct Name | ETHYL BENZOATE |
|--------------|-------------------|
| Part Number | RXSOL-60-6042-200 |

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

 $Branch: Kandla, Mumbai \ , Chennai, Vizag, Kolkata, UAE \ , OMAN \ , CANADA \ and KENYA$

| Phone | +91 22 20871200 - 1400 |
|---------|--|
| Fax | +91 22 27612100 ::::AOH :0091 9821214367 |
| Email | mail@rxmarine.com |
| Website | www.rxmraine.com |

| 2. Composition / Information on ingredients www.rxmarine.co | | | www.rxmarine.com | |
|---|-------------------|--------------------|------------------------|------------------------|
| Chemical Name Ethyl benzoate | Cas No 93-89-0 | EC No 202-284-3 | Weight 150,17 g/mol | Formula $C_9H_{10}O_2$ |
| 3. Hazards I | dentification | | | www.rxmarine.com |

| Signal Word | No data available |
|--|---|
| Hazard Statements | No data available |
| Precautionary statements | No data available |
| Classification of the substance or mixture | No data available |
| Supplemental Hazard Statements | No data available |
| Other hazards | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher |

4. First Aid Measures

www.rxmarine.com

| General advice | No data available |
|--|--|
| If inhaled | After inhalation fresh air. Immediately call in physician. |
| Eye Contact | After eye contact rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. |
| Swallowed | After swallowing make victim drink water (two glasses at most). Consult doctor if feeling unwell. |
| Skin Contact | In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician. |
| Inhalation | No data available |
| Ingestion | No data available |
| Most important symptoms and effects, both acute and delaye | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 |
| Indication of any immediate medical attention and special treatment needed | No data available |

5. Fire-fighting Measures

| Flammability | No data available |
|---|---|
| Suitable extinguishing media | Water Foam Carbon dioxide (CO2) Dry powder |
| Unsuitable extinguishing media | For this substance/mixture no limitations of extinguishing agents are given |
| Special hazards arising from the substance or mixture | Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire |
| Further information | Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system. |
| Hazardous combustion products | No data available |
| Advice for firefighters | In the event of fire, wear self-contained breathing apparatus |
| Protective Equipment | No data available |
| Specific Hazards Arising from the Chemical | No data available |

6. Accidental Release Measures

www.rxmarine.com

www.rxmarine.com

| Personal precautions, protective equipment and emergency procedures | Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. |
|---|--|
| Spillage | No data available |
| Personal Protection | No data available |
| Enviromental Precaution | Do not let product enter drains. Risk of explosion. |
| Methods and materials for containment and cleaning | Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area |
| Reference to other sections | For disposal see section 13 |

7. Handling and Storage

| Advice on protection against fire and explosion | Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. |
|--|---|
| Incompatible materials | No data available |
| Hygiene measures | Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2. |
| Advice on safe handling | Work under hood. Do not inhale substance/mixture. |
| Conditions for safe storage, including any incompatibilities | No data available |
| Storage conditions | Tightly closed. |
| Storage class | Storage class (TRGS 510): 10: Combustible liquids |
| Specific end use(s) | Apart from the uses mentioned in section 1.2 no other specific uses are stipulated |
| Advice on general occupational hygiene | No data available |

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls Engineering Control Personal protective equipment No data available

| Eye/face protection | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses |
|--------------------------|---|
| Body Protection | Protective clothing. |
| Skin protection | This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness 0,7 mm Break through time: 60 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M) |
| Respiratory protection | Recommended Filter type Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. |
| Other Protection Measure | No data available |

9. Physical and chemical properties

www.rxmarine.com

www.rxmarine.com

| Developed state | Liquid |
|--|--|
| Physical state | Liquid |
| Colour | Colorless |
| Odour | Fruity |
| Odor Threshold | No data available |
| pH | 8,7 |
| Melting Point | -34 °C - lit. |
| Boiling Point | 212 °C - lit. |
| Flash Point | 88 °C - c.c. |
| Evaporation Rate | No data available |
| Flammability (solid, gas) | The product is not flammable. |
| Explosive limits | No data available |
| Upper/lower flammability or explosive limits | Lower explosion limit:1 %(V) |
| Autoignition temperature | No data available |
| Decomposition temperature | No data available |
| Vapour pressure | 0,24 hPa at 20 °C |
| Viscosity | No data available |
| Density | 1,045 g/cm3 at 25 °C - lit. |
| Relative Density | No data available |
| Specific Gravity | No data available |
| Partition coefficient | log Pow: 2,59 at 22,8 °C - Bioaccumulation is not expected |
| Explosive properties | No data available |
| Solubility | 0,5 g/l at 20 °C |
| Ignition temperature | No data available |
| Particle characteristics | No data available |
| | |

10. Stability and reactivity

ReactivityForms explosive mixtures with air on intense heating. A range from
approx. 15 Kelvin below the flash point is to be rated as critical.Chemical stabilityThe product is chemically stable under standard ambient conditions (room
temperature)Possibilityof hazardous reactionsViolent reactions possible with Strong oxidizing agents BasesCondition to avoidStrong heating.Incompatible materialsNo data available

| 11. Toxicological information | www.rxmarine.com |
|--|---|
| Acute toxicity | LD50 Oral - Rat - male and female - 2.100 mg/kg (OECD Test Guideline 401) Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Symptoms: mucosal irritations, Cough, Shortness of breath |
| Skin corrosion/irritation | Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: The value is given in analogy to the following substances: Methyl benzoate |
| Serious eye damage/irritation | Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: The value is given in analogy to the following substances: Methyl benzoate |
| Respiratory or skin sensitization | Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429) Remarks: The value is given in analogy to the following substances: Methyl benzoate |
| Carcinogenicity | Limited evidence of carcinogenicity in animal studies |
| Germ cell mutagenicity | Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 |
| Reproductive toxicity | No data available |
| Specific target organ toxicity-single exposure | No data available |
| Additional Information | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DH0200000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: If swallowed muscular weakness somnolence Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice. |

12. Ecological information

Biodegradability aerobic - Exposure time 28 d Result: 69 % - Readily Persistence and degradability biodegradable. (OECD Test Guideline 301D) Toxicity to fish Flow-through test LC50 - Pimephales promelas (fathead minnow) - 6,7 mg/l - 96 h (OECD Test Guideline 203) Static test EC50 - Daphnia magna (Water flea) - 27,1 mg/l - 48 h (OECD Toxicity to daphnia and other aquatic invertebrates Test Guideline 202) Toxicity No data available Toxicity to bacteria No data available Toxicity to algae Static test ErC50 - Pseudokirchneriella subcapitata (algae) - 24,1 mg/l -72 h (OECD Test Guideline 201) static test NOEC - Pseudokirchneriella subcapitata (algae) - 1,05 mg/l - 72 h (OECD Test Guideline 201) Bioaccumulation potential No data available Mobility in soil No data available Results of PBT av PvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Other adverse effects No data available

www.rxmarine.com

13. Disposal considerations

Product

Contaminated packaging Waste treatment Method

14. Transport information

| UN number | ADR/RID: | IMDG: | IATA: |
|------------------------------|-----------------------------|--------------------------|--------------------------|
| UN proper shipping name | ADR/RID:Not dengerous goods | IMDG:Not dengerous goods | IATA:Not dengerous goods |
| Transport hazard classess | ADR/RID: | IMDG: | IATA: |
| Packaging group | ADR/RID: | IMDG: | IATA: |
| Environmental hazards | ADR/RID:No | IMDG:No | IATA:No |
| Special precautions for user | No data available | | |
| Further information | No data available | | |
| | | | |

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the This material safety data sheet complies with the requirements of substance or mixture Regulation (EC) No. 1907/2006 Other regulations

Chemical Safety Assessment

16. Other information

Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

No data available

No data available

www.rxmarine.com

www.rxmarine.com

www.rxmarine.com

No data available

For this product a chemical safety assessment was not carried out