# 1. Product and Company Identifaction

Porduct Name Part Number

Company Details:

RX MARINE INTERNATIONAL 105, A wing , BSEL , TECH PARK. VASHI ,NEW BOMBAY 400703 INDIA

 $Branch: Kandla, Mumbai \ , Chennai, Vizag, Kolkata, UAE \ , OMAN \ , CANADA \ and KENYA$ 

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composi	tion / Information	on on ingredients		www.rxmarine.com
Product name	Cas No	EC No	Weight	Formula
Anthranilic acid synthesis	for 118-92-3	204-287-5	137,14 g/mol	C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub>

## 3. Hazards Identification

Signal Word	Danger
Hazard Statements	H318 Causes serious eye damage.
Precautionary statements	P280 Wear eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of $0.1\%$ or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of $0.1\%$ or higher.

4. First Aid Measures	www.rxmarine.com
General advice	First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance
If inhaled	fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration,
Eye Contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
Swallowed	After swallowing immediately make victim drink water (two glasses at most). Consult a physician.
Skin Contact	In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Anthranilic Acid RXSOL-60-1045-050

www.rxmarine.com

### Inhalation

Ingestion

Most important symptoms and effects, both acute and delaye

Indication of any immediate medical attention and special treatment needed

No data available No data available

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

No data available

5. Fire-fighting Measures	www.rxmarine.com
Flammability	No data available
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Combustible. Fire may cause evolution of: nitrogen oxides, nitrous gases Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	In the event of fire, wear self-contained breathing apparatus.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

### 6. Accidental Release Measures

Personal precautions, protective equipmentandemergency procedures

Spillage Personal Protection **Enviromental Precaution** Methods and materials for containment and cleaning

Reference to other sections

### 7. Handling and Storage

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

No data available

No data available

Do not let product enter drains. Risk of explosion.

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### www.rxmarine.com

Advice on protection against fire and explosion	No data available
Incompatible materials	No data available
Hygiene measures	No data available
Advice on safe handling	No data available
Conditions for safe storage including any incompatibilities	No data available
Storage conditions	Protected from light.Tightly closed. Dry. Recommended storage temperature see product label.
Storage class	Storage class (TRGS 510) 11 Combustible Solids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	No data available

www.rxmarine.com

For disposal see section 13.

### 8. Exposure controls and personal protection

Exposure controls	Personal protective equipment
Engineering Control	No data available
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Protective clothing
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material butyl-rubber Minimum layer thickness 0,7 mm Break through time 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet www.kcl.de). Splash contact Material: Viton® Minimum layer thickness 0,7 mm Break through time: 120 min Material tested Vitoject® (KCL 890 / Aldrich Z677698, Size M)
Respiratory protection	Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Other Protection Measure	No data available

### 9. Physical and chemical properties

Physical state Colour Odour Odor Threshold pН Melting Point **Boiling Point** Flash Point **Evaporation Rate** Flammability (solid, gas) Explosive limits Upper/lower flammability or explosive limits Autoignition temperature Decomposition temperature Vapour pressure Viscosity Density Relative Density Specific Gravity Partition coefficient Explosive properties Solubility

www.rxmarine.com

Solid Yellow Odorless No data available No data available 145 °C - Decomposition 183 °C at 13,33 hPa 150 °C - closed cup - DIN 51758 No data available No data available No data Available No data available > 155 °C not auto-flammable 200 °C 0,001 hPa at 52,6 °C No data available 1,383 g/cm3 at 23 °C No data available No data available Log Pow 0,99 at 23 °C - Bioaccumulation is not expected. No data available 4,5 g/l at 20 °C - OECD Test Guideline 105- solubl

# 10. Stability and reactivity

ReactivityForms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.Chemical stabilityThe product is chemically stable under standard ambient conditions (room temperature)Possibilityof hazardous reactionsViolent reactions possible with Strong oxidizing agents Strong basesConditions to avoidStrong heating.Incompatible materialsNo data available		www.rxmarine.com
Possibilityof hazardous reactionstemperature)Possibilityof hazardous reactionsViolent reactions possible with Strong oxidizing agents Strong basesConditions to avoidStrong heating.	Reactivity	approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust
Conditions to avoid Strong heating.	Chemical stability	
	Possibility of hazardous reactions	Violent reactions possible with Strong oxidizing agents Strong bases
Incompatible materials No data available	Conditions to avoid	Strong heating.
no una avanable	Incompatible materials	No data available
Hazardous decomposition productsIn the event of fire: see section 5	Hazardous decomposition products	In the event of fire: see section 5

# 11. Toxicological information

www.rxmarine.com

LD50 Oral - Rat - 4.549 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - 4 h - > 5,3 mg/l - dust/mist Remarks: (External MSDS
Skin - Rabbit No skin irritation
Eyes - Rabbit Irreversible effects on the eye (OECD Test Guideline 405)
No data available
This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.
Test Type unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474
No data available
No data available
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. Ecological information

12. Ecological information	www.rxmarine.com
Persistence and degradability	Biodegradability Result: 70 % - Readily biodegradable. (OECD Test Guideline 301C)
Toxicity to fish	Static test LC50 - Leuciscus idus (Golden orfe) - 100 - 200 mg/l - 96 h (External MSDS)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 76 - 94 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)
Toxicity	No data available
Toxicity to bacteria	EC50 - Pseudomonas putida - 100 mg/l - 17 h (DIN 38 412 Part 8)
Toxicity to algae	ErC50 - Desmodesmus subspicatus (green algae) - 21,1 mg/l - 96 h (DIN 38412) (ECHA)

Products Biodegradation Mobility in soil Results of PBT and vPvB assessment

Endocrine disrupting properties

Other adverse effects

### 13. Disposal considerations

Product	No data available
Contaminated packaging	No data available
Waste treatment Method	No data available

### 14. Transport information

UN number UN proper shipping name Transport hazard class(es) Packaging group Environmental hazards Special precautions for user Further information

ADR/RID: ADR/RID:Not dengerous goods ADR/RID: ADR/RID: ADR/RID:No No data available No data available

IMDG:
IMDG:Not dengerous goods
IMDG:
IMDG:
IMDG:No

IATA: IATA:Not dengerous goods IATA: IATA: IATA:No

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment was not carried out for this substance.

# 16. Other information

Other Information

### www.rxmarine.com

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense

# www.rxmarine.com

www.rxmarine.com

persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

This substance/mixture contains no components considered to be either

No data available

No data available

No data available

arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.