

## 1. Product and Company Identification

www.rxmarine.com

Product Name Tri Methyl Benzene 1,3,5

Part Number RXSOL-19-1476-210

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone +91 22 20871200 - 1400

Fax +91 22 27612100 ::AOH :0091 9821214367

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

Website [www.rxmraine.comA](http://www.rxmraine.comA)

## 2. Composition / Information on ingredients

www.rxmarine.com

Chemical Name	CAS	EC number	Weight	Formula
1,3,5-Trimethylbenzene	108-67-8	203-604-4	>= 100 %	C9H12

## 3. Hazards Identification

www.rxmarine.com

Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No

Supplemental Hazard Statements

1272/2008.

Other hazards

None.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Skin Contact

Wash off with soap and plenty of water. Consult a physician.

Inhalation

Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.

Ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delaye

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

Flammability

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

Special hazards arising from the substance or mixture

Carbon oxides

Further information

Use water spray to cool unopened containers.

Hazardous combustion products

Fire may cause the evolution of Sulphur oxides, nitrogen oxides.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Protective Equipment

Use personal protective equipment.

Specific Hazards Arising from the Chemical

Oxides of phosphorus Sodium oxides Not combustible. Fire may cause evolution of: Oxides of phosphorus Ambient fire may liberate hazardous vapours.

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Spillage

Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.

Enviromental Precaution

Prevent further leakage or spillage if safe to do so. Do not let product

Methods and materials for containment and cleaning

enter drains. Discharge into the environment must be avoided.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Incompatible materials

Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Advice on general occupational hygiene

Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

Requirements for storage

Keep in cool and store under shade.

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

Engineering Control

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 30 min Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail [sales@kcl.de](mailto:sales@kcl.de), test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

Respiratory protection

Other Protection Measure

Control of environmental exposure



Gloves Suit

should not be construed as offering an approval for any specific use scenario.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Handle in accordance with good industrial hygiene and safety practice.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

Physical state	Liquid, clear
Colour	Colorless
Odour	No data available
Odor Threshold	No data available
pH	No data available
Melting Point	43,7 °C
Boiling Point	168,0 - 169,0 °C
Flash Point	48,0 °C - closed cup
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	6,4 %(V) / 0,9 %(V)
Autoignition temperature	515,0 °C
Decomposition temperature	No data available
Vapour pressure	2,3 hPa at 20,0 °C
Density	0,88 g/cm <sup>3</sup>
Relative Density	No data available
Relative vapor density	No data available
Freezing point	No data available
Viscosity	No data available
Partition coefficient	No data available
Explosive properties	No data available
Solubility	0,057 g/l at 25 °C
Ignition temperature	No information available.
Particle characteristics	No data available

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

Reactivity	No data available
------------	-------------------

Stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No data available
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	In the event of fire: see section 5

## 11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - male - 6.000 mg/kg LC50 Inhalation - 4 h - 11 mg/l - vapor Dermal: No data available
Skin corrosion/irritation	Remarks: No data available
Serious eye damage/eye irritation	Remarks: No data available
Respiratory or skin sensitization	Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. in vivo assay - Mouse Result: Did not cause sensitization on laboratory animals.
Toxic Effects on Human	May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).
Carcinogenicity	No data available
Germ cell mutagenicity	Test Type: in vitro test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vivo micronucleus test Species: Rat Cell type: Bone marrow Application Route: Intraperitoneal Method: Mutagenicity (micronucleus test) Result: negative
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Special Remarks on other Toxic Effects on Humans	Skin: Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material.  Eyes: Causes eye irritation.  Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed.  Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx.  Chronic  Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.  The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DC3325000 prolonged or repeated exposure can cause: narcosis, Bronchitis., Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Central nervous system .
Endocrine disrupting properties	

## 12. Ecological information

www.rxmarine.com

Bioaccumulative potential	No data available
Persistence and degradability	No data available

Toxicity to fish	Flow-through test LC50 - Pimephales promelas (fathead minnow) - 7,72 mg/l - 96,0 h
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 3,6 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Static test EC50 - Pseudokirchneriella subcapitata - 1,13 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	Static test EC50 - activated sludge - 563 mg/l - 3 h (OECD Test Guideline 209) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium hypochlorite solution
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	Toxic to aquatic life with long lasting effects.

### 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

Disposal methods	The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
Contaminated packaging	Dispose of as unused product.
Waste treatment Method	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

UN number	ADR/RID: 3295 IMDG: 3295 IATA: 3295
UN proper shipping name	ADR/RID:Hydrocarbons, liquid, n.o.s. IMDG:Hydrocarbons, liquid, n.o.s. IATA:Hydrocarbons, liquid, n.o.s.
Transport hazard class(es)	ADR/RID: 3 IMDG: 3 IATA: 3
Packaging group	ADR/RID: III IMDG: III IATA: III
Environmental hazards	ADR/RID: NO IMDG: NO IATA: NO
Further information	No data available

### 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

Inventory status	Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.
Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
National legislation	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : FLAMMABLE LIQUIDS : ENVIRONMENTAL

Other regulations  
Chemical Safety Assessment

16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Other Information

HAZARDS  
Take note of Dir 94/33/EC on the protection of young people at work.  
For this product a chemical safety assessment was not carried out.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchant ability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if Rx Marine International has been advised of the possibility of such damages.